

EU-COGER data overview

09 april 2025

Contents

Study description	2
Table of sample characteristics	2
Plots of sample characteristics	4
Trajectories of ADL functioning	10
Trajectories of Quality of Life	12
Overview of available variables	13



Study description

EU-COGER stands for “**EU**ropean **CO**operation in **GER**iatric rehabilitation research after COVID-19”. It is a pan-European cohort study on care and recovery of post-COVID-19 patients in geriatric rehabilitation (GR). The study is an initiative of the Special Interest Group (SIG) for GR of the European Geriatric Medicine Society (EuGMS) and is coordinated by researchers from Leiden University Medical Center, the Netherlands, in collaboration with 59 GR facilities across 10 countries. 723 patients were recruited between September 2020 and October 2021 (i.e. during the 2nd wave of the COVID-19 pandemic). The study protocol was published the *J Nutr Health Aging*.



Aims of the EU-COGER study

1. To gain insight into recovery of older COVID-19 patients during and after GR.
2. To gain insight into the content of post-COVID-19 rehabilitation in various European countries: What treatment strategies are used? Which professionals are involved?

Data collection

Regular care data was abstracted from (electronic) health records and follow-up consisted of telephone interviews by healthcare professionals from geriatric rehabilitation facilities. Data was collected at 4 time points: at admission, at discharge, and at 6 weeks and 6 months follow-up after discharge from the rehabilitation facility. Data collection included medical history, symptoms, functional status, quality of life, length of stay at GR, discharge destination, etc. At follow-up, data was collected on mortality, functional status, quality of life and PTSS.

Table of sample characteristics


The **EU-COGER** dataset contains data from 723 patients from 10 countries.

Characteristic	N = 723 ¹
Age (years)	75.8 (9.9)
Sex	
Men	379 (52%)
Women	344 (48%)
Premorbid residence	
Own home	675 (94%)
Assisted living	36 (5.0%)
Nursing home	6 (0.8%)
Other	3 (0.4%)
Unknown	3
Hospital admission	653 (91%)
Unknown	3
ICU admission	240 (34%)
Unknown	12
Barthel Index at admission	10.9 (5.4)
Unknown	9
EQ-5D-5L VAS score at admission	50.9 (19.5)
Unknown	265
Discharge destination	
Own home	544 (77%)
Assisted living	44 (6.3%)
Nursing home	59 (8.4%)
Hospital	30 (4.3%)
Deceased	11 (1.6%)
Other	15 (2.1%)
Unknown	20
country	
Czech Republic	53 (7.3%)
Germany	50 (6.9%)
Ireland	50 (6.9%)
Israel	32 (4.4%)
Italy	30 (4.1%)
Malta	17 (2.4%)
Russia	50 (6.9%)
Spain	96 (13%)
The Netherlands	293 (41%)
United Kingdom	52 (7.2%)


¹Mean (SD); n (%)

Plots of sample characteristics


Number of patients by country




Distribution of admission dates to GR




Age distribution of the cohort




Age distribution by country




Distribution of rehabilitation length in the cohort



Rehabilitation length by country





Distribution of frailty in the cohort



Trajectories of ADL functioning



ADL functioning was collected at 5 time points: 2 weeks prior to infection (retrospectively assessed at admission), at admission and at discharge of GR from medical records, and at 6 weeks and 6 months follow-up by telephone. Instruments to assess ADL functioning differed by rehabilitation facility, but all scores have been converted to the Barthel Index.





Trajectories of Quality of Life

The EQ-5D-5L measure for QoL was collected at 4 time points: at admission and at discharge of GR it was abstracted from medical records, and at 6 weeks and 6 months follow-up it was assessed by telephone. The UK and Israel did not collect any EQ-5D-5L data, so this data is available for 8 countries.



Overview of available variables

The EU-COGER dataset contains 621 variables. The variable names are listed below.
More information, i.e. labels and coding of these variables can be found in the Codebook.

Data Frame Summary

COGER Dimensions: 723 x 621

Duplicates: 0

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
1	record_id [character]	1. ABH001 2. ABH002 3. ABH003 4. ABH004 5. ABH005 6. ABH006 7. ABH007 8. ABH008 9. ABH009 10. ABH010 [713 others]	1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 713 (98.6%)	0 (0.0%)
2	institute_abbreviation [character]	1. VFN 2. FLI 3. MUMC 4. IRCCS 5. LAU 6. RGNKC 7. TLO 8. BHO 9. HGU 10. ULHG [49 others]	53 (7.3%) 32 (4.4%) 32 (4.4%) 30 (4.1%) 30 (4.1%) 30 (4.1%) 30 (4.1%) 26 (3.6%) 26 (3.6%) 24 (3.3%) 410 (56.7%)	0 (0.0%)
3	country [factor]	1. Czech Republic 2. Germany 3. Ireland 4. Israel 5. Italy 6. Malta 7. Russia 8. Spain 9. The Netherlands 10. United Kingdom	53 (7.3%) 50 (6.9%) 50 (6.9%) 32 (4.4%) 30 (4.1%) 17 (2.4%) 50 (6.9%) 96 (13.3%) 293 (40.5%) 52 (7.2%)	0 (0.0%)
4	record_createdon [POSIXct, POSIXt]	min : 2020-10-28 14:17:41 med : 2021-04-26 10:09:48 max : 2022-06-28 13:31:43 range : 1y 8m -1d 23H 14M 2S	723 distinct values	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
5	t0_yearbirth [numeric]	Mean (sd) : 1944.6 (9.9) min < med < max: 1920 < 1944 < 1978 IQR (CV) : 14 (0)	53 distinct values	0 (0.0%)
6	t0_age [numeric]	Mean (sd) : 75.8 (9.9) min < med < max: 42 < 76 < 100 IQR (CV) : 14 (0.1)	52 distinct values	0 (0.0%)
7	t0_gender [factor]	1. Men 2. Women	379 (52.4%) 344 (47.6%)	0 (0.0%)
8	t0_gender_other [character]	All empty strings		0 (0.0%)
9	t0_residence [factor]	1. Own home 2. Assisted living 3. Nursing home 4. Other	675 (93.8%) 36 (5.0%) 6 (0.8%) 3 (0.4%)	3 (0.4%)
10	t0_residence_other [character]	1. (Empty string) 2. Admitted from own home wh 3. convent 4. convent as she is a nun 5. Council rented property 6. Lives alone in a warden c 7. Lives in warden controlle 8. Living at home with son, 9. Penitentiary center 10. Warden controlled flat, w 11. with adult child	713 (98.6%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
11	t0_covid_mainreason [haven_labelled, vctrs_vctr, double]	1 distinct value	1 : 642 (100.0%)	81 (11.2%)
12	t0_covid_PCR [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.1) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.1)	0 : 10 (1.4%) 1 : 710 (98.2%) 2 : 3 (0.4%)	0 (0.0%)
13	t0_covid_serology [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.3 (0.5) min < med < max: 0 < 0 < 2 IQR (CV) : 1 (1.7)	0 : 519 (72.4%) 1 : 178 (24.8%) 2 : 20 (2.8%)	6 (0.8%)
14	calc_pcrserology_na [numeric]	1 distinct value	0 : 715 (100.0%)	8 (1.1%)
15	calc_exclusion [numeric]	1 distinct value	0 : 1 (100.0%)	722 (99.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
16	t0_covid_confirmed [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
17	t0_comorbidity [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.1 (0.6) min < med < max: 1 < 1 < 9 IQR (CV) : 0 (0.5)	1 : 669 (93.2%) 2 : 46 (6.4%) 9 : 3 (0.4%)	5 (0.7%)
18	t0_FCI_arthritis [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 510 (77.2%) 1 : 151 (22.8%)	62 (8.6%)
19	t0_arthritis_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.9 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.7)	0 : 32 (22.1%) 1 : 91 (62.8%) 2 : 22 (15.2%)	578 (79.9%)
20	t0_FCI_osteoporosis [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 524 (79.3%) 1 : 137 (20.7%)	62 (8.6%)
21	t0_Osteoporosis_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.8) min < med < max: 0 < 1 < 2 IQR (CV) : 2 (0.7)	0 : 36 (26.7%) 1 : 57 (42.2%) 2 : 42 (31.1%)	588 (81.3%)
22	t0_FCI_discdesease [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 535 (81.3%) 1 : 123 (18.7%)	65 (9.0%)
23	t0_discdesease_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.1 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.5)	0 : 12 (9.9%) 1 : 83 (68.6%) 2 : 26 (21.5%)	602 (83.3%)
24	t0_FCI_pulmonarydisease [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 450 (68.1%) 1 : 211 (31.9%)	62 (8.6%)
25	t0_pulmonary_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.6)	0 : 38 (18.4%) 1 : 129 (62.6%) 2 : 39 (18.9%)	517 (71.5%)
26	t0_FCI_anginapectoris [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 603 (91.2%) 1 : 58 (8.8%)	62 (8.6%)
27	t0_anginapectoris_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.7 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (0.9)	0 : 23 (40.4%) 1 : 30 (52.6%) 2 : 4 (7.0%)	666 (92.1%)
28	t0_FCI_myocardial [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 574 (86.7%) 1 : 88 (13.3%)	61 (8.4%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
29	t0_myocardial_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.6 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (1)	0 : 39 (45.9%) 1 : 42 (49.4%) 2 : 4 (4.7%)	638 (88.2%)
30	t0_FCI_heartfailure [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 438 (66.2%) 1 : 224 (33.8%)	61 (8.4%)
31	t0_heartfailure_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.9 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.6)	0 : 46 (21.4%) 1 : 141 (65.6%) 2 : 28 (13.0%)	508 (70.3%)
32	t0_FCI_neurological [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 605 (91.7%) 1 : 55 (8.3%)	63 (8.7%)
33	t0_neurological_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.2 (0.7) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (0.6)	0 : 9 (17.3%) 1 : 25 (48.1%) 2 : 18 (34.6%)	671 (92.8%)
34	t0_FCI_dementia [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 589 (89.4%) 1 : 70 (10.6%)	64 (8.9%)
35	t0_dementia_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.2 (0.5) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (0.5)	0 : 5 (7.2%) 1 : 46 (66.7%) 2 : 18 (26.1%)	654 (90.5%)
36	t0_FCI_stroke [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 557 (84.1%) 1 : 105 (15.9%)	61 (8.4%)
37	t0_stroke_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.7) min < med < max: 0 < 1 < 2 IQR (CV) : 2 (0.8)	0 : 29 (28.2%) 1 : 46 (44.7%) 2 : 28 (27.2%)	620 (85.8%)
38	t0_FCI_perivascdisease [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 583 (88.1%) 1 : 79 (11.9%)	61 (8.4%)
39	t0_perivascdisease_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.7 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (0.9)	0 : 29 (38.7%) 1 : 40 (53.3%) 2 : 6 (8.0%)	648 (89.6%)
40	t0_FCI_diabetes [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 446 (67.1%) 1 : 219 (32.9%)	58 (8.0%)
41	t0_diabetes_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.6 (0.6) min < med < max: 0 < 0 < 2 IQR (CV) : 1 (1.1)	0 : 109 (51.7%) 1 : 86 (40.8%) 2 : 16 (7.6%)	512 (70.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
42	t0_FCI_gastrointestinal [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 558 (84.3%) 1 : 104 (15.7%)	61 (8.4%)
43	t0_gastrointestinal_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.7 (0.7) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (1)	0 : 46 (45.1%) 1 : 41 (40.2%) 2 : 15 (14.7%)	621 (85.9%)
44	t0_FCI_obesity [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 502 (75.9%) 1 : 159 (24.1%)	62 (8.6%)
45	t0_obesity_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.6 (0.7) min < med < max: 0 < 1 < 2 IQR (CV) : 1 (1)	0 : 71 (46.1%) 1 : 66 (42.9%) 2 : 17 (11.0%)	569 (78.7%)
46	t0_FCI_depression [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 574 (86.6%) 1 : 89 (13.4%)	60 (8.3%)
47	t0_depression_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.6)	0 : 15 (17.6%) 1 : 58 (68.2%) 2 : 12 (14.1%)	638 (88.2%)
48	t0_FCI_anxiety [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 616 (93.6%) 1 : 42 (6.4%)	65 (9.0%)
49	t0_anxiety_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.1 (0.4) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.4)	0 : 2 (4.9%) 1 : 34 (82.9%) 2 : 5 (12.2%)	682 (94.3%)
50	t0_FCI_visualimpairment [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 528 (80.4%) 1 : 129 (19.6%)	66 (9.1%)
51	t0_visualimp_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.6) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.6)	0 : 24 (19.0%) 1 : 80 (63.5%) 2 : 22 (17.5%)	597 (82.6%)
52	t0_FCI_hearingimpairment [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 568 (86.5%) 1 : 89 (13.5%)	66 (9.1%)
53	t0_hearingimp_severe [haven_labelled, vctrs_vctr, double]	Mean (sd) : 0.9 (0.5) min < med < max: 0 < 1 < 2 IQR (CV) : 0 (0.5)	0 : 13 (14.9%) 1 : 66 (75.9%) 2 : 8 (9.2%)	636 (88.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
54	t0_comorbidity_other [character]	1. (Empty string) 2. Hypertension 3. HTA 4. Malnutrition - Partially 5. hypertension 6. Hypothyroidism 7. - Aneurysma aorta abdomin 8. - Basal cell carcinoma 9. - Polymyalgia rheumatic- 10. - Pulmonary embolism- Mya [175 others]	519 (71.8%) 12 (1.7%) 6 (0.8%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 175 (24.2%)	0 (0.0%)
55	calc_proef [numeric]	All NA's		723 (100.0%)
56	t0_hospadmission [factor]	1. Yes 2. No	653 (90.7%) 67 (9.3%)	3 (0.4%)
57	t0_hospadmission_days [numeric]	Mean (sd) : 33.8 (30.7) min < med < max: 1 < 23 < 296 IQR (CV) : 33 (0.9)	111 distinct values	78 (10.8%)
58	t0_ICU [factor]	1. Yes 2. No	240 (33.8%) 471 (66.2%)	12 (1.7%)
59	t0_ICU_days [numeric]	Mean (sd) : 10.3 (22.4) min < med < max: 0 < 0 < 285 IQR (CV) : 10.5 (2.2)	76 distinct values	20 (2.8%)
60	t0_compl_thromboembolism [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.3) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.6)	1 : 77 (10.7%) 2 : 618 (86.1%) 9 : 23 (3.2%)	5 (0.7%)
61	t0_compl_delirium [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.9 (1.2) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (0.6)	1 : 189 (26.3%) 2 : 512 (71.3%) 9 : 17 (2.4%)	5 (0.7%)
62	t0_compl_pressureulcer [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.1) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 78 (10.9%) 2 : 623 (86.8%) 9 : 17 (2.4%)	5 (0.7%)
63	t0_date_questionnaire [Date]	min : 2020-04-04 med : 2021-03-14 max : 2022-06-13 range : 2y 2m 9d	250 distinct values	39 (5.4%)
64	t0_ADL_method [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 1 Max : 2	1 : 637 (99.1%) 2 : 6 (0.9%)	80 (11.1%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
65	t0_barth_bowels [numeric]	Mean (sd) : 1.9 (0.4) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 18 (2.8%) 1 : 29 (4.5%) 2 : 595 (92.7%)	81 (11.2%)
66	t0_barth_bladder [numeric]	Mean (sd) : 1.7 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 33 (5.1%) 1 : 98 (15.3%) 2 : 511 (79.6%)	81 (11.2%)
67	t0_barth_feeding [numeric]	Mean (sd) : 1.9 (0.3) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 6 (0.9%) 1 : 35 (5.5%) 2 : 601 (93.6%)	81 (11.2%)
68	t0_barth_grooming [numeric]	Min : 0 Mean : 0.9 Max : 1	0 : 51 (7.9%) 1 : 591 (92.1%)	81 (11.2%)
69	t0_barth_dressing [numeric]	Mean (sd) : 1.7 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 26 (4.0%) 1 : 109 (17.0%) 2 : 507 (79.0%)	81 (11.2%)
70	t0_barth_transfer [numeric]	Mean (sd) : 2.8 (0.5) min < med < max: 0 < 3 < 3 IQR (CV) : 0 (0.2)	0 : 8 (1.2%) 1 : 14 (2.2%) 2 : 59 (9.2%) 3 : 561 (87.4%)	81 (11.2%)
71	t0_barth_toiletuse [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 22 (3.4%) 1 : 63 (9.8%) 2 : 557 (86.8%)	81 (11.2%)
72	t0_barth_mobility [numeric]	Mean (sd) : 2.8 (0.6) min < med < max: 0 < 3 < 3 IQR (CV) : 0 (0.2)	0 : 17 (2.7%) 1 : 12 (1.9%) 2 : 68 (10.6%) 3 : 544 (84.9%)	82 (11.3%)
73	t0_barth_stairs [numeric]	Mean (sd) : 1.5 (0.8) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.5)	0 : 127 (19.8%) 1 : 81 (12.6%) 2 : 434 (67.6%)	81 (11.2%)
74	t0_barth_bathing [numeric]	Min : 0 Mean : 0.8 Max : 1	0 : 140 (21.8%) 1 : 502 (78.2%)	81 (11.2%)
75	t0_barth_totalscore_def [numeric]	Mean (sd) : 17.9 (3.6) min < med < max: 0 < 20 < 20 IQR (CV) : 3 (0.2)	20 distinct values	82 (11.3%)
76	t0_user_zitten [numeric]	Mean (sd) : 4.2 (1.2) min < med < max: 2 < 4.5 < 5 IQR (CV) : 1 (0.3)	2 : 1 (16.7%) 4 : 2 (33.3%) 5 : 3 (50.0%)	717 (99.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
77	t0_user_staan [numeric]	Mean (sd) : 3.7 (1.4) min < med < max: 2 < 4 < 5 IQR (CV) : 2.2 (0.4)	2 : 2 (33.3%) 4 : 2 (33.3%) 5 : 2 (33.3%)	717 (99.2%)
78	t0_user_transfers [numeric]	Min : 2 Mean : 3 Max : 4	2 : 3 (50.0%) 4 : 3 (50.0%)	717 (99.2%)
79	t0_user_lopenbinnen [numeric]	Mean (sd) : 1.8 (1.6) min < med < max: 0 < 2 < 4 IQR (CV) : 2.2 (0.9)	0 : 2 (33.3%) 2 : 2 (33.3%) 3 : 1 (16.7%) 4 : 1 (16.7%)	717 (99.2%)
80	t0_user_lopenafstand [numeric]	Mean (sd) : 0.8 (1.3) min < med < max: 0 < 0 < 3 IQR (CV) : 1.5 (1.6)	0 : 4 (66.7%) 2 : 1 (16.7%) 3 : 1 (16.7%)	717 (99.2%)
81	t0_user_traplopen [numeric]	1 distinct value	0 : 6 (100.0%)	717 (99.2%)
82	t0_user_rolstoel [numeric]	Mean (sd) : 3 (2.4) min < med < max: 0 < 4 < 5 IQR (CV) : 4.2 (0.8)	0 : 2 (33.3%) 3 : 1 (16.7%) 5 : 3 (50.0%)	717 (99.2%)
83	t0_user_totalmobiliteit [numeric]	Mean (sd) : 17 (6.1) min < med < max: 6 < 17 < 26 IQR (CV) : 4 (0.4)	6 : 1 (14.3%) 15 : 1 (14.3%) 16 : 1 (14.3%) 17 : 1 (14.3%) 19 : 1 (14.3%) 20 : 1 (14.3%) 26 : 1 (14.3%)	716 (99.0%)
84	t0_user_etendrinken [numeric]	Mean (sd) : 3.5 (2.1) min < med < max: 0 < 4.5 < 5 IQR (CV) : 2.5 (0.6)	0 : 1 (16.7%) 2 : 1 (16.7%) 4 : 1 (16.7%) 5 : 3 (50.0%)	717 (99.2%)
85	t0_user_persverzorging [numeric]	Mean (sd) : 2.5 (2.2) min < med < max: 0 < 3 < 5 IQR (CV) : 3.5 (0.9)	0 : 2 (33.3%) 2 : 1 (16.7%) 4 : 2 (33.3%) 5 : 1 (16.7%)	717 (99.2%)
86	t0_user_douchenbaden [numeric]	Mean (sd) : 1.7 (1.9) min < med < max: 0 < 1 < 4 IQR (CV) : 3 (1.1)	0 : 2 (33.3%) 1 : 2 (33.3%) 4 : 2 (33.3%)	717 (99.2%)
87	t0_user_aanuitkleden [numeric]	Mean (sd) : 2 (2.1) min < med < max: 0 < 1.5 < 5 IQR (CV) : 3.2 (1)	0 : 2 (33.3%) 1 : 1 (16.7%) 2 : 1 (16.7%) 4 : 1 (16.7%) 5 : 1 (16.7%)	717 (99.2%)
88	t0_user_toiletgang [numeric]	Mean (sd) : 3.2 (1.9) min < med < max: 0 < 3.5 < 5 IQR (CV) : 2.5 (0.6)	0 : 1 (16.7%) 2 : 1 (16.7%) 3 : 1 (16.7%) 4 : 1 (16.7%) 5 : 2 (33.3%)	717 (99.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
89	t0_user_incontblaas [numeric]	Mean (sd) : 3.7 (2) min < med < max: 0 < 4.5 < 5 IQR (CV) : 1.8 (0.5)	0 : 1 (16.7%) 3 : 1 (16.7%) 4 : 1 (16.7%) 5 : 3 (50.0%)	717 (99.2%)
90	t0_user_incontdarm [numeric]	Mean (sd) : 3.8 (2) min < med < max: 0 < 5 < 5 IQR (CV) : 1.5 (0.5)	0 : 1 (16.7%) 3 : 1 (16.7%) 5 : 4 (66.7%)	717 (99.2%)
91	t0_user_totalverzorging [numeric]	Mean (sd) : 20.4 (9.1) min < med < max: 2 < 21 < 32 IQR (CV) : 3 (0.4)	2 : 1 (14.3%) 20 : 1 (14.3%) 21 : 2 (28.6%) 22 : 1 (14.3%) 25 : 1 (14.3%) 32 : 1 (14.3%)	716 (99.0%)
92	t0_user_uiten [numeric]	Min : 4 Mean : 4.8 Max : 5	4 : 1 (16.7%) 5 : 5 (83.3%)	717 (99.2%)
93	t0_user_begrijpen [numeric]	Min : 4 Mean : 4.8 Max : 5	4 : 1 (16.7%) 5 : 5 (83.3%)	717 (99.2%)
94	t0_user_waarneming [numeric]	Min : 4 Mean : 4.8 Max : 5	4 : 1 (16.7%) 5 : 5 (83.3%)	717 (99.2%)
95	t0_user_orientatie [numeric]	1 distinct value	5 : 6 (100.0%)	717 (99.2%)
96	t0_user_aandacht [numeric]	1 distinct value	5 : 6 (100.0%)	717 (99.2%)
97	t0_user_geheugen [numeric]	1 distinct value	5 : 6 (100.0%)	717 (99.2%)
98	t0_user_taakuitvoering [numeric]	1 distinct value	5 : 6 (100.0%)	717 (99.2%)
99	t0_user_initiatief [numeric]	Mean (sd) : 4.2 (1.6) min < med < max: 1 < 5 < 5 IQR (CV) : 0.8 (0.4)	1 : 1 (16.7%) 4 : 1 (16.7%) 5 : 4 (66.7%)	717 (99.2%)
100	t0_user_gedragregulatie [numeric]	Min : 4 Mean : 4.7 Max : 5	4 : 2 (33.3%) 5 : 4 (66.7%)	717 (99.2%)
101	t0_user_sociaalgedrag [numeric]	Min : 4 Mean : 4.8 Max : 5	4 : 1 (16.7%) 5 : 5 (83.3%)	717 (99.2%)
102	t0_user_cognitfunctioneren [numeric]	Mean (sd) : 46.3 (5.4) min < med < max: 35 < 48 < 50 IQR (CV) : 4.5 (0.1)	35 : 1 (14.3%) 45 : 1 (14.3%) 46 : 1 (14.3%) 48 : 1 (14.3%) 50 : 3 (42.9%)	716 (99.0%)
103	t0_user_pijn [character]	1. (Empty string) 2. 0 3. 70	717 (99.2%) 5 (0.7%) 1 (0.1%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
104	t0_user_vermoeidheid [character]	1. (Empty string) 2. 0 3. 50 4. 60 5. 70	717 (99.2%) 2 (0.3%) 1 (0.1%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
105	t0_user_somberheid [character]	1. (Empty string) 2. 0 3. 60 4. 70	717 (99.2%) 3 (0.4%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
106	t0_user_verdriet [character]	1. (Empty string) 2. 0 3. 60 4. 70	717 (99.2%) 3 (0.4%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
107	t0_user_angst [character]	1. (Empty string) 2. 0 3. 20 4. 70	717 (99.2%) 4 (0.6%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
108	t0_user_boosheid [character]	1. (Empty string) 2. 0 3. 20	717 (99.2%) 5 (0.7%) 1 (0.1%)	0 (0.0%)
109	t0_user_stemming [numeric]	Mean (sd) : 72.9 (88.8) min < med < max: 0 < 20 < 210 IQR (CV) : 140 (1.2)	0 : 3 (42.9%) 20 : 1 (14.3%) 120 : 1 (14.3%) 160 : 1 (14.3%) 210 : 1 (14.3%)	716 (99.0%)
110	t0_FIM_eating [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
111	t0_FIM_grooming [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
112	t0_FIM_bathing [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
113	t0_FIM_dressupperbody [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
114	t0_FIM_dresslowerbody [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
115	t0_FIM_toileting [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
116	t0_FIM_bladder [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
117	t0_FIM_bowel [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
118	t0_FIM_transfer_bedchairwheelchair [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
119	t0_FIM_transfer_bathshower [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
120	t0_FIM_transfer_toilet [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
121	t0_FIM_loco_walkwheelchair [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
122	t0_FIM_loco_mostfrequent [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
123	t0_FIM_loco_stairs [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
124	t0_FIM_comprehension [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
125	t0_FIM_expression [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
126	t0_FIM_socialinteract [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
127	t0_FIM_problemsolving [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
128	t0_FIM_memory [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
129	t0_frailty_screened [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 1.3 Max : 2	1 : 491 (70.5%) 2 : 205 (29.5%)	27 (3.7%)
130	t0_frailty_score [numeric]	Mean (sd) : 3.5 (1.5) min < med < max: 1 < 3 < 9 IQR (CV) : 2 (0.4)	1 : 28 (5.7%) 2 : 108 (22.0%) 3 : 147 (30.0%) 4 : 89 (18.2%) 5 : 60 (12.2%) 6 : 45 (9.2%) 7 : 11 (2.2%) 8 : 1 (0.2%) 9 : 1 (0.2%)	233 (32.2%)
131	t0_weight [numeric]	Mean (sd) : 80.6 (18.1) min < med < max: 30.4 < 80 < 182 IQR (CV) : 23 (0.2)	184 distinct values	106 (14.7%)
132	t1_date_admission [Date]	min : 2020-07-14 med : 2021-02-26 max : 2021-10-29 range : 1y 3m 15d	242 distinct values	4 (0.6%)
133	t1_date_questionnaire [Date]	min : 2020-01-04 med : 2021-03-14 max : 2022-06-13 range : 2y 5m 9d	259 distinct values	4 (0.6%)
134	t1_ADL_method [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.2 (0.5) min < med < max: 1 < 1 < 3 IQR (CV) : 0 (0.4)	1 : 596 (83.2%) 2 : 88 (12.3%) 3 : 32 (4.5%)	7 (1.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
135	t1_barth_bowels [numeric]	Mean (sd) : 1.6 (0.7) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.5)	0 : 100 (14.0%) 1 : 105 (14.7%) 2 : 509 (71.3%)	9 (1.2%)
136	t1_barth_bladder [numeric]	Mean (sd) : 1.3 (0.8) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.6)	0 : 159 (22.3%) 1 : 194 (27.2%) 2 : 361 (50.6%)	9 (1.2%)
137	t1_barth_feeding [numeric]	Mean (sd) : 1.6 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 49 (6.8%) 1 : 177 (24.7%) 2 : 490 (68.4%)	7 (1.0%)
138	t1_barth_grooming [numeric]	Min : 0 Mean : 0.5 Max : 1	0 : 342 (47.8%) 1 : 374 (52.2%)	7 (1.0%)
139	t1_barth_dressing [numeric]	Mean (sd) : 1 (0.7) min < med < max: 0 < 1 < 2 IQR (CV) : 2 (0.7)	0 : 193 (27.0%) 1 : 337 (47.1%) 2 : 186 (26.0%)	7 (1.0%)
140	t1_barth_transfer [numeric]	Mean (sd) : 1.9 (1) min < med < max: 0 < 2 < 3 IQR (CV) : 2 (0.5)	0 : 68 (9.5%) 1 : 189 (26.4%) 2 : 239 (33.4%) 3 : 220 (30.7%)	7 (1.0%)
141	t1_barth_toiletuse [numeric]	Mean (sd) : 1.1 (0.8) min < med < max: 0 < 1 < 2 IQR (CV) : 2 (0.8)	0 : 211 (29.5%) 1 : 255 (35.6%) 2 : 250 (34.9%)	7 (1.0%)
142	t1_barth_mobility [numeric]	Mean (sd) : 1.6 (1.2) min < med < max: 0 < 2 < 3 IQR (CV) : 3 (0.7)	0 : 197 (27.5%) 1 : 82 (11.5%) 2 : 245 (34.2%) 3 : 192 (26.8%)	7 (1.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
143	t1_barth_stairs [numeric]	Mean (sd) : 0.3 (0.5) min < med < max: 0 < 0 < 2 IQR (CV) : 0 (2.1)	0 : 570 (79.6%) 1 : 107 (14.9%) 2 : 39 (5.4%)	7 (1.0%)
144	t1_barth_bathing [numeric]	Min : 0 Mean : 0.2 Max : 1	0 : 571 (79.7%) 1 : 145 (20.3%)	7 (1.0%)
145	t1_barth_totalscore_def [numeric]	Mean (sd) : 10.9 (5.4) min < med < max: 0 < 11 < 20 IQR (CV) : 8 (0.5)	21 distinct values	9 (1.2%)
146	t1_user_zitten [numeric]	Mean (sd) : 4.1 (1.6) min < med < max: 0 < 5 < 5 IQR (CV) : 1.2 (0.4)	0 : 5 (5.7%) 1 : 5 (5.7%) 2 : 6 (6.8%) 3 : 6 (6.8%) 4 : 8 (9.1%) 5 : 58 (65.9%)	635 (87.8%)
147	t1_user_staan [numeric]	Mean (sd) : 3.3 (1.8) min < med < max: 0 < 4 < 5 IQR (CV) : 3.2 (0.6)	0 : 9 (10.2%) 1 : 13 (14.8%) 2 : 8 (9.1%) 3 : 5 (5.7%) 4 : 18 (20.5%) 5 : 35 (39.8%)	635 (87.8%)
148	t1_user_transfers [numeric]	Mean (sd) : 2.9 (1.8) min < med < max: 0 < 4 < 5 IQR (CV) : 3 (0.6)	0 : 11 (12.5%) 1 : 18 (20.5%) 2 : 8 (9.1%) 3 : 6 (6.8%) 4 : 24 (27.3%) 5 : 21 (23.9%)	635 (87.8%)
149	t1_user_lopenbinnen [numeric]	Mean (sd) : 2.5 (1.8) min < med < max: 0 < 2 < 5 IQR (CV) : 3 (0.7)	0 : 17 (19.3%) 1 : 16 (18.2%) 2 : 15 (17.0%) 3 : 4 (4.5%) 4 : 22 (25.0%) 5 : 14 (15.9%)	635 (87.8%)
150	t1_user_lopenafstand [numeric]	Mean (sd) : 1.1 (1.6) min < med < max: 0 < 0 < 5 IQR (CV) : 2 (1.5)	0 : 53 (60.2%) 1 : 9 (10.2%) 2 : 9 (10.2%) 3 : 4 (4.5%) 4 : 9 (10.2%) 5 : 4 (4.5%)	635 (87.8%)
151	t1_user_traplopen [numeric]	Mean (sd) : 0.5 (1.3) min < med < max: 0 < 0 < 5 IQR (CV) : 0 (2.7)	0 : 75 (85.2%) 1 : 3 (3.4%) 2 : 2 (2.3%) 3 : 2 (2.3%) 4 : 2 (2.3%) 5 : 4 (4.5%)	635 (87.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
152	t1_user_rolstoel [numeric]	Mean (sd) : 3.3 (2.2) min < med < max: 0 < 5 < 5 IQR (CV) : 5 (0.7)	0 : 26 (29.5%) 1 : 1 (1.1%) 3 : 9 (10.2%) 5 : 52 (59.1%)	635 (87.8%)
153	t1_user_totalmobiliteit [numeric]	Mean (sd) : 17.5 (8.7) min < med < max: 0 < 18 < 35 IQR (CV) : 12.2 (0.5)	29 distinct values	635 (87.8%)
154	t1_user_etendrinken [numeric]	Mean (sd) : 4.3 (1.4) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (1.1%) 1 : 9 (10.2%) 2 : 3 (3.4%) 3 : 4 (4.5%) 4 : 2 (2.3%) 5 : 69 (78.4%)	635 (87.8%)
155	t1_user_persverzorging [numeric]	Mean (sd) : 3.6 (1.8) min < med < max: 0 < 5 < 5 IQR (CV) : 2.5 (0.5)	0 : 7 (8.0%) 1 : 15 (17.0%) 3 : 13 (14.8%) 4 : 5 (5.7%) 5 : 48 (54.5%)	635 (87.8%)
156	t1_user_douchenbaden [numeric]	Mean (sd) : 2.1 (1.8) min < med < max: 0 < 1 < 5 IQR (CV) : 3 (0.9)	0 : 16 (18.2%) 1 : 34 (38.6%) 2 : 4 (4.5%) 3 : 10 (11.4%) 4 : 8 (9.1%) 5 : 16 (18.2%)	635 (87.8%)
157	t1_user_aanuitkleden [numeric]	Mean (sd) : 2.5 (1.9) min < med < max: 0 < 2.5 < 5 IQR (CV) : 4 (0.7)	0 : 11 (12.5%) 1 : 29 (33.0%) 2 : 4 (4.5%) 3 : 13 (14.8%) 4 : 7 (8.0%) 5 : 24 (27.3%)	635 (87.8%)
158	t1_user_toiletgang [numeric]	Mean (sd) : 3.6 (1.9) min < med < max: 0 < 5 < 5 IQR (CV) : 3.2 (0.5)	0 : 10 (11.4%) 1 : 12 (13.6%) 2 : 3 (3.4%) 3 : 4 (4.5%) 4 : 7 (8.0%) 5 : 52 (59.1%)	635 (87.8%)
159	t1_user_incontblaas [numeric]	Mean (sd) : 4.1 (1.7) min < med < max: 0 < 5 < 5 IQR (CV) : 1 (0.4)	0 : 10 (11.6%) 1 : 1 (1.2%) 3 : 5 (5.8%) 4 : 10 (11.6%) 5 : 60 (69.8%)	637 (88.1%)
160	t1_user_incontdarm [numeric]	Mean (sd) : 4.3 (1.5) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.4)	0 : 6 (7.0%) 1 : 4 (4.7%) 3 : 5 (5.8%) 4 : 3 (3.5%) 5 : 68 (79.1%)	637 (88.1%)
161	t1_user_totalverzorging [numeric]	Mean (sd) : 24.5 (8.4) min < med < max: 1 < 25.5 < 35 IQR (CV) : 12.8 (0.3)	27 distinct values	637 (88.1%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
162	t1_user_uiten [numeric]	Mean (sd) : 4.8 (0.8) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 2 (2.3%) 2 : 1 (1.1%) 3 : 3 (3.4%) 4 : 4 (4.5%) 5 : 78 (88.6%)	635 (87.8%)
163	t1_user_begrijpen [numeric]	Mean (sd) : 4.7 (0.9) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 3 (3.4%) 2 : 1 (1.1%) 3 : 5 (5.7%) 4 : 3 (3.4%) 5 : 76 (86.4%)	635 (87.8%)
164	t1_user_waarneming [numeric]	Mean (sd) : 4.7 (0.8) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 1 (1.1%) 2 : 3 (3.4%) 4 : 17 (19.3%) 5 : 67 (76.1%)	635 (87.8%)
165	t1_user_orientatie [numeric]	Mean (sd) : 4.7 (1) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 2 (2.3%) 1 : 3 (3.4%) 3 : 1 (1.1%) 4 : 1 (1.1%) 5 : 81 (92.0%)	635 (87.8%)
166	t1_user_aandacht [numeric]	Mean (sd) : 4.7 (0.8) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 2 (2.3%) 2 : 2 (2.3%) 3 : 4 (4.5%) 4 : 4 (4.5%) 5 : 76 (86.4%)	635 (87.8%)
167	t1_user_geheugen [numeric]	Mean (sd) : 4.6 (1.1) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 1 (1.1%) 1 : 3 (3.4%) 2 : 4 (4.5%) 3 : 2 (2.3%) 4 : 5 (5.7%) 5 : 73 (83.0%)	635 (87.8%)
168	t1_user_taakuitvoering [numeric]	Mean (sd) : 4.5 (1.2) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (1.2%) 1 : 5 (5.8%) 2 : 1 (1.2%) 3 : 6 (7.0%) 4 : 6 (7.0%) 5 : 67 (77.9%)	637 (88.1%)
169	t1_user_initiatief [numeric]	Mean (sd) : 4.6 (1) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 2 (2.3%) 1 : 1 (1.1%) 2 : 2 (2.3%) 3 : 5 (5.7%) 4 : 2 (2.3%) 5 : 76 (86.4%)	635 (87.8%)
170	t1_user_gedragregulatie [numeric]	Mean (sd) : 4.8 (0.7) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.1)	1 : 1 (1.1%) 2 : 2 (2.3%) 3 : 2 (2.3%) 4 : 4 (4.6%) 5 : 78 (89.7%)	636 (88.0%)
171	t1_user_sociaalgedrag [numeric]	Mean (sd) : 4.8 (0.8) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 2 (2.3%) 3 : 5 (5.7%) 4 : 2 (2.3%) 5 : 79 (89.8%)	635 (87.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
172	t1_user_cognitfunctioneren [numeric]	Mean (sd) : 46.9 (6.7) min < med < max: 13 < 50 < 50 IQR (CV) : 3 (0.1)	14 distinct values	638 (88.2%)
173	t1_user_pijn [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50 8. 60 9. 70 10. 80 11. 90	640 (88.5%) 50 (6.9%) 9 (1.2%) 6 (0.8%) 6 (0.8%) 4 (0.6%) 1 (0.1%) 4 (0.6%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
174	t1_user_vermoeidheid [character]	1. (Empty string) 2. 70 3. 50 4. 60 5. 80 6. 0 7. 40 8. 30 9. 10 10. 90 [2 others]	641 (88.7%) 12 (1.7%) 11 (1.5%) 10 (1.4%) 9 (1.2%) 8 (1.1%) 8 (1.1%) 7 (1.0%) 6 (0.8%) 5 (0.7%) 6 (0.8%)	0 (0.0%)
175	t1_user_somberheid [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 50 7. 60 8. 70 9. 80 10. 90	643 (88.9%) 47 (6.5%) 4 (0.6%) 6 (0.8%) 5 (0.7%) 8 (1.1%) 3 (0.4%) 2 (0.3%) 4 (0.6%) 1 (0.1%)	0 (0.0%)
176	t1_user_verdriet [character]	1. (Empty string) 2. 0 3. 50 4. 20 5. 30 6. 60 7. 80 8. 70 9. 10 10. 40 [2 others]	642 (88.8%) 38 (5.3%) 11 (1.5%) 7 (1.0%) 6 (0.8%) 6 (0.8%) 4 (0.6%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
177	t1_user_angst [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50 8. 60 9. 70 10. 80	643 (88.9%) 51 (7.1%) 4 (0.6%) 3 (0.4%) 5 (0.7%) 1 (0.1%) 6 (0.8%) 5 (0.7%) 4 (0.6%) 1 (0.1%)	0 (0.0%)
178	t1_user_boosheid [character]	1. (Empty string) 2. 0 3. 10 4. 100 5. 20 6. 30 7. 50 8. 60 9. 70 10. 80	643 (88.9%) 57 (7.9%) 4 (0.6%) 1 (0.1%) 3 (0.4%) 2 (0.3%) 4 (0.6%) 2 (0.3%) 6 (0.8%) 1 (0.1%)	0 (0.0%)
179	t1_user_stemming [numeric]	Mean (sd) : 74.6 (86.2) min < med < max: 0 < 40 < 320 IQR (CV) : 137.5 (1.2)	25 distinct values	645 (89.2%)
180	t1_FIM_eating [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (1.6) min < med < max: 1 < 3.5 < 7 IQR (CV) : 3 (0.5)	1 : 2 (6.2%) 2 : 9 (28.1%) 3 : 5 (15.6%) 4 : 6 (18.8%) 5 : 7 (21.9%) 6 : 1 (3.1%) 7 : 2 (6.2%)	691 (95.6%)
181	t1_FIM_grooming [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.8 (1.1) min < med < max: 1 < 3 < 6 IQR (CV) : 1 (0.4)	1 : 1 (3.1%) 2 : 14 (43.8%) 3 : 11 (34.4%) 4 : 3 (9.4%) 5 : 2 (6.2%) 6 : 1 (3.1%)	691 (95.6%)
182	t1_FIM_bathing [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (0.8) min < med < max: 1 < 2 < 5 IQR (CV) : 0 (0.4)	1 : 3 (9.4%) 2 : 22 (68.8%) 3 : 4 (12.5%) 4 : 2 (6.2%) 5 : 1 (3.1%)	691 (95.6%)
183	t1_FIM_dressupperbody [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (0.6) min < med < max: 1 < 2 < 4 IQR (CV) : 0 (0.3)	1 : 5 (15.6%) 2 : 22 (68.8%) 3 : 4 (12.5%) 4 : 1 (3.1%)	691 (95.6%)
184	t1_FIM_dresslowerbody [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.7 (0.9) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.3)	1 : 1 (3.1%) 2 : 16 (50.0%) 3 : 8 (25.0%) 4 : 6 (18.8%) 5 : 1 (3.1%)	691 (95.6%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
185	t1_FIM_toileting [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (0.6) min < med < max: 1 < 2 < 4 IQR (CV) : 0 (0.3)	1 : 2 (6.2%) 2 : 24 (75.0%) 3 : 5 (15.6%) 4 : 1 (3.1%)	691 (95.6%)
186	t1_FIM_bladder [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.9 (0.7) min < med < max: 1 < 2 < 4 IQR (CV) : 0.2 (0.4)	1 : 8 (25.0%) 2 : 20 (62.5%) 3 : 3 (9.4%) 4 : 1 (3.1%)	691 (95.6%)
187	t1_FIM_bowel [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.8 (1.5) min < med < max: 1 < 2 < 6 IQR (CV) : 2 (0.5)	1 : 6 (18.8%) 2 : 12 (37.5%) 3 : 4 (12.5%) 4 : 4 (12.5%) 5 : 4 (12.5%) 6 : 2 (6.2%)	691 (95.6%)
188	t1_FIM_transfer_bedchairwheelchair [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.3 (0.9) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.4)	1 : 3 (9.4%) 2 : 19 (59.4%) 3 : 7 (21.9%) 4 : 2 (6.2%) 5 : 1 (3.1%)	691 (95.6%)
189	t1_FIM_transfer_bathshower [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (0.9) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.4)	1 : 5 (15.6%) 2 : 17 (53.1%) 3 : 8 (25.0%) 4 : 1 (3.1%) 5 : 1 (3.1%)	691 (95.6%)
190	t1_FIM_transfer_toilet [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.3 (0.8) min < med < max: 1 < 2 < 5 IQR (CV) : 0.2 (0.3)	1 : 2 (6.2%) 2 : 22 (68.8%) 3 : 6 (18.8%) 4 : 1 (3.1%) 5 : 1 (3.1%)	691 (95.6%)
191	t1_FIM_loco_walkwheelchair [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (0.7) min < med < max: 1 < 2 < 4 IQR (CV) : 1 (0.3)	1 : 3 (9.4%) 2 : 20 (62.5%) 3 : 7 (21.9%) 4 : 2 (6.2%)	691 (95.6%)
192	t1_FIM_loco_mostfrequent [numeric]	1 distinct value	2 : 32 (100.0%)	691 (95.6%)
193	t1_FIM_loco_stairs [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.5 (0.6) min < med < max: 1 < 1.5 < 3 IQR (CV) : 1 (0.4)	1 : 16 (50.0%) 2 : 15 (46.9%) 3 : 1 (3.1%)	691 (95.6%)
194	t1_FIM_comprehension [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.1 (1.4) min < med < max: 1 < 5 < 6 IQR (CV) : 2 (0.4)	1 : 2 (6.2%) 2 : 4 (12.5%) 3 : 4 (12.5%) 4 : 5 (15.6%) 5 : 14 (43.8%) 6 : 3 (9.4%)	691 (95.6%)
195	t1_FIM_expression [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.6 (1.3) min < med < max: 2 < 5 < 7 IQR (CV) : 1 (0.3)	2 : 3 (9.4%) 3 : 4 (12.5%) 4 : 6 (18.8%) 5 : 12 (37.5%) 6 : 5 (15.6%) 7 : 2 (6.2%)	691 (95.6%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
196	t1_FIM_socialinteract [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.9 (1.5) min < med < max: 1 < 4 < 7 IQR (CV) : 2.2 (0.4)	1 : 1 (3.1%) 2 : 7 (21.9%) 3 : 4 (12.5%) 4 : 7 (21.9%) 5 : 10 (31.2%) 6 : 2 (6.2%) 7 : 1 (3.1%)	691 (95.6%)
197	t1_FIM_problemsolving [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.4 (1.5) min < med < max: 1 < 4 < 6 IQR (CV) : 3 (0.4)	1 : 2 (6.2%) 2 : 11 (34.4%) 3 : 2 (6.2%) 4 : 8 (25.0%) 5 : 7 (21.9%) 6 : 2 (6.2%)	691 (95.6%)
198	t1_FIM_memory [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (1.4) min < med < max: 1 < 4 < 6 IQR (CV) : 3 (0.4)	1 : 2 (6.2%) 2 : 8 (25.0%) 3 : 3 (9.4%) 4 : 9 (28.1%) 5 : 8 (25.0%) 6 : 2 (6.2%)	691 (95.6%)
199	t1_frailty_screened [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 1.3 Max : 2	1 : 493 (69.4%) 2 : 217 (30.6%)	13 (1.8%)
200	t1_frailty_score [numeric]	Mean (sd) : 5.6 (1.4) min < med < max: 1 < 6 < 9 IQR (CV) : 2 (0.3)	1 : 1 (0.2%) 2 : 14 (2.8%) 3 : 36 (7.3%) 4 : 66 (13.4%) 5 : 63 (12.8%) 6 : 182 (36.9%) 7 : 113 (22.9%) 8 : 15 (3.0%) 9 : 3 (0.6%)	230 (31.8%)
201	t1_weight [numeric]	Mean (sd) : 76.7 (16.6) min < med < max: 30.4 < 76 < 136.7 IQR (CV) : 21.9 (0.2)	284 distinct values	53 (7.3%)
202	t1_malnutrition [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (1.7) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (0.9)	1 : 381 (53.2%) 2 : 302 (42.2%) 9 : 33 (4.6%)	7 (1.0%)
203	t1_malnutr_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.7 (2.1) min < med < max: 1 < 2 < 9 IQR (CV) : 2 (0.8)	1 : 100 (26.2%) 2 : 155 (40.7%) 3 : 61 (16.0%) 4 : 33 (8.7%) 9 : 32 (8.4%)	342 (47.3%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
204	t1_malnutr_other [character]	1. (Empty string) 2. SNAQ-RC 3. SNAQ-rc 4. SNAQ RC 5. GLIM CRITERIA 6. SNAC RC 7. SNAQRC 8. WHO 9. BMI Elderly 10. Burton [8 others]	689 (95.3%) 10 (1.4%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 8 (1.1%)	0 (0.0%)
205	t1_cog_impairment [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (1.4) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.7)	1 : 164 (22.9%) 2 : 524 (73.3%) 9 : 27 (3.8%)	8 (1.1%)
206	t1_cogimpairment_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.8 (2.8) min < med < max: 1 < 3 < 9 IQR (CV) : 5 (0.7)	1 : 47 (28.8%) 2 : 9 (5.5%) 3 : 57 (35.0%) 4 : 2 (1.2%) 6 : 20 (12.3%) 9 : 28 (17.2%)	560 (77.5%)
207	t1_cogimp_other [character]	1. (Empty string) 2. Pfeiffer 3. Clinical Assessment 4. Abbreviated Mental Test 5. ACER 6. AMT 7. AMTS 8. Clinical interview. 9. CMT 10. Documented in medical 7 n [8 others]	703 (97.2%) 3 (0.4%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 8 (1.1%)	0 (0.0%)
208	t1_delirium [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.2) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.6)	1 : 74 (10.4%) 2 : 621 (87.0%) 9 : 19 (2.7%)	9 (1.2%)
209	t1_delirium_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4 (3.1) min < med < max: 1 < 3 < 9 IQR (CV) : 7 (0.8)	1 : 9 (12.3%) 2 : 26 (35.6%) 3 : 19 (26.0%) 9 : 19 (26.0%)	650 (89.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
210	t1_delirium_other [character]	1. (Empty string) 2. AMT 3. cam 4. CAM 5. Clinical assessment 6. Clinical Assessment 7. MDA 8. observation- no formal sc	704 (97.4%) 1 (0.1%) 1 (0.1%) 13 (1.8%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
211	t1_depression [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.7) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.8)	1 : 146 (20.4%) 2 : 528 (73.9%) 9 : 40 (5.6%)	9 (1.2%)
212	t1_mood_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3 (2.3) min < med < max: 1 < 2 < 9 IQR (CV) : 2 (0.8)	1 : 18 (12.3%) 2 : 85 (58.2%) 3 : 3 (2.1%) 4 : 23 (15.8%) 9 : 17 (11.6%)	577 (79.8%)
213	t1_mood_other [character]	1. (Empty string) 2. PHQ-2 3. PHQ2 4. subjective report 5. Clinical assessment 6. Clinical evaluation 7. clinical judgement 8. eq5d 9. mental state exam by psyc 10. patient self report [11 others]	700 (96.8%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 11 (1.5%)	0 (0.0%)
214	t1_fatigue [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.6 (1.8) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (1.1)	1 : 534 (74.9%) 2 : 142 (19.9%) 9 : 37 (5.2%)	10 (1.4%)
215	t1_fatigue_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.2 (3.5) min < med < max: 1 < 3 < 9 IQR (CV) : 8 (0.8)	1 : 176 (33.1%) 2 : 82 (15.4%) 3 : 94 (17.7%) 9 : 179 (33.7%)	192 (26.6%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
216	t1_fatigue_other [character]	1. (Empty string) 2. NRS 3. USER 4. subjective report 5. Clinical observation 6. user 7. anamnesis 8. nrs 9. report 10. self reported [38 others]	629 (87.0%) 20 (2.8%) 13 (1.8%) 6 (0.8%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 41 (5.7%)	0 (0.0%)
217	t1_dyspnoea [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (1.7) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (1)	1 : 427 (60.0%) 2 : 249 (35.0%) 9 : 36 (5.1%)	11 (1.5%)
218	t1_dyspnoea_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4 (3.4) min < med < max: 1 < 3 < 9 IQR (CV) : 8 (0.9)	1 : 156 (36.7%) 2 : 54 (12.7%) 3 : 82 (19.3%) 9 : 133 (31.3%)	298 (41.2%)
219	t1_dyspnoea_other [character]	1. (Empty string) 2. Saturation 3. subjective report 4. NRS 5. Clinical observation 6. self reported 7. Excertional dyspnoea. 8. anamnese 9. At exertion. 10. Clinical Assessment [44 others]	641 (88.7%) 7 (1.0%) 7 (1.0%) 5 (0.7%) 4 (0.6%) 4 (0.6%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 46 (6.4%)	0 (0.0%)
220	t1_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.6) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (0.8)	1 : 195 (27.3%) 2 : 483 (67.7%) 9 : 35 (4.9%)	10 (1.4%)
221	t1_pain_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.7 (3.1) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (1.1)	1 : 118 (60.5%) 2 : 40 (20.5%) 9 : 37 (19.0%)	528 (73.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
222	t1_pain_other [character]	1. (Empty string) 2. VAS 3. USER 4. EQ5D 5. subjective report 6. anamnesis 7. Clinical evaluation 8. clinical judgement 9. EQ-5D-5L/USER 10. EuroQol [5 others]	684 (94.6%) 19 (2.6%) 6 (0.8%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 5 (0.7%)	0 (0.0%)
223	t1_pain_scale [character]	1. (Empty string) 2. 30 3. 20 4. 50 5. 40 6. 60 7. 70 8. 80 9. 45 10. 10 [22 others]	561 (77.6%) 24 (3.3%) 23 (3.2%) 22 (3.0%) 18 (2.5%) 18 (2.5%) 12 (1.7%) 6 (0.8%) 5 (0.7%) 4 (0.6%) 30 (4.1%)	0 (0.0%)
224	t1_pressure_ulcer [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (1.1) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 88 (12.4%) 2 : 608 (85.4%) 9 : 16 (2.2%)	11 (1.5%)
225	t1_QOL [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 3.7 Max : 9	1 : 466 (65.9%) 9 : 241 (34.1%)	16 (2.2%)
226	t1_qol_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.2 (1.3) min < med < max: 1 < 3 < 5 IQR (CV) : 2 (0.4)	1 : 47 (10.1%) 2 : 99 (21.2%) 3 : 132 (28.3%) 4 : 88 (18.9%) 5 : 100 (21.5%)	257 (35.5%)
227	t1_qol_selfcare [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.9 (1.4) min < med < max: 1 < 3 < 5 IQR (CV) : 2 (0.5)	1 : 94 (20.2%) 2 : 94 (20.2%) 3 : 128 (27.5%) 4 : 71 (15.2%) 5 : 79 (17.0%)	257 (35.5%)
228	t1_qol_usualactivities [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (1.4) min < med < max: 1 < 4 < 5 IQR (CV) : 2 (0.4)	1 : 48 (10.3%) 2 : 66 (14.2%) 3 : 89 (19.1%) 4 : 89 (19.1%) 5 : 174 (37.3%)	257 (35.5%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
229	t1_qol_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 176 (37.8%) 2 : 127 (27.3%) 3 : 117 (25.1%) 4 : 39 (8.4%) 5 : 7 (1.5%)	257 (35.5%)
230	t1_qol_anxiety [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (1.1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 206 (44.2%) 2 : 115 (24.7%) 3 : 104 (22.3%) 4 : 32 (6.9%) 5 : 9 (1.9%)	257 (35.5%)
231	t1_qol_scale [character]	1. (Empty string) 2. 50 3. 60 4. 70 5. 40 6. 30 7. 20 8. 80 9. 65 10. 75 [53 others]	264 (36.5%) 63 (8.7%) 52 (7.2%) 46 (6.4%) 38 (5.3%) 29 (4.0%) 25 (3.5%) 20 (2.8%) 19 (2.6%) 13 (1.8%) 154 (21.3%)	0 (0.0%)
232	t1_qol_healthtoday [numeric]	Mean (sd) : 50.9 (19.5) min < med < max: 0 < 50 < 95 IQR (CV) : 25 (0.4)	62 distinct values	265 (36.7%)
233	t1_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (2.2) min < med < max: 1 < 1 < 9 IQR (CV) : 0 (1.2)	1 : 486 (75.6%) 2 : 103 (16.0%) 9 : 54 (8.4%)	80 (11.1%)
234	t1_mobility_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.2 (3.6) min < med < max: 1 < 2 < 9 IQR (CV) : 8 (0.8)	1 : 121 (25.8%) 2 : 181 (38.6%) 9 : 167 (35.6%)	254 (35.1%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
235	t1_mobility_other [character]	1. (Empty string) 2. RMI. 3. sppb 4. functional assessment 5. BBS 6. Elderly mobility scale 7. Elderly Mobility Scale 8. POMA 9. Clinical observation 10. SPPB [73 others]	544 (75.2%) 31 (4.3%) 12 (1.7%) 10 (1.4%) 7 (1.0%) 7 (1.0%) 6 (0.8%) 6 (0.8%) 5 (0.7%) 5 (0.7%) 90 (12.4%)	0 (0.0%)
236	t1_mobility_TUG [numeric]	Mean (sd) : 40.8 (136.6) min < med < max: 0 < 21 < 999 IQR (CV) : 12.1 (3.3)	59 distinct values	621 (85.9%)
237	t1_mrc_biceps [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.8 (0.9) min < med < max: 0 < 4 < 5 IQR (CV) : 1 (0.3)	0 : 1 (0.3%) 1 : 7 (2.0%) 2 : 21 (6.0%) 3 : 91 (26.1%) 4 : 152 (43.6%) 5 : 77 (22.1%)	374 (51.7%)
238	t1_mrc_quadriceps [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.7 (1) min < med < max: 1 < 4 < 5 IQR (CV) : 1 (0.3)	1 : 15 (4.2%) 2 : 25 (7.0%) 3 : 98 (27.5%) 4 : 148 (41.6%) 5 : 70 (19.7%)	367 (50.8%)
239	t1_HGS [numeric]	Mean (sd) : 18.8 (10) min < med < max: 0 < 18 < 62 IQR (CV) : 10.8 (0.5)	55 distinct values	545 (75.4%)
240	t1_swallowing [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.9 (0.9) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 104 (16.9%) 2 : 503 (81.8%) 9 : 8 (1.3%)	108 (14.9%)
241	t1_speech [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (1) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 68 (11.0%) 2 : 536 (87.0%) 9 : 12 (1.9%)	107 (14.8%)
242	t2_date_discharge [Date]	min : 2020-10-25 med : 2021-03-30 max : 2022-01-25 range : 1y 3m 0d	256 distinct values	21 (2.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
243	t2_date_questionnaire [Date]	min : 2020-05-14 med : 2021-04-16 max : 2022-06-27 range : 2y 1m 13d	261 distinct values	52 (7.2%)
244	t2_ADL_method [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.2 (0.5) min < med < max: 1 < 1 < 3 IQR (CV) : 0 (0.4)	1 : 567 (86.4%) 2 : 58 (8.8%) 3 : 31 (4.7%)	67 (9.3%)
245	t2_barth_bowels [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 38 (5.8%) 1 : 48 (7.3%) 2 : 570 (86.9%)	67 (9.3%)
246	t2_barth_bladder [numeric]	Mean (sd) : 1.6 (0.7) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 62 (9.5%) 1 : 126 (19.2%) 2 : 468 (71.3%)	67 (9.3%)
247	t2_barth_feeding [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 21 (3.2%) 1 : 73 (11.1%) 2 : 562 (85.7%)	67 (9.3%)
248	t2_barth_grooming [numeric]	Min : 0 Mean : 0.8 Max : 1	0 : 112 (17.1%) 1 : 544 (82.9%)	67 (9.3%)
249	t2_barth_dressing [numeric]	Mean (sd) : 1.5 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 43 (6.6%) 1 : 223 (34.0%) 2 : 390 (59.5%)	67 (9.3%)
250	t2_barth_transfer [numeric]	Mean (sd) : 2.6 (0.7) min < med < max: 0 < 3 < 3 IQR (CV) : 1 (0.3)	0 : 14 (2.1%) 1 : 38 (5.8%) 2 : 143 (21.8%) 3 : 461 (70.3%)	67 (9.3%)
251	t2_barth_toiletuse [numeric]	Mean (sd) : 1.7 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 47 (7.2%) 1 : 121 (18.4%) 2 : 488 (74.4%)	67 (9.3%)
252	t2_barth_mobility [numeric]	Mean (sd) : 2.5 (0.9) min < med < max: 0 < 3 < 3 IQR (CV) : 1 (0.3)	0 : 47 (7.2%) 1 : 24 (3.7%) 2 : 137 (20.9%) 3 : 448 (68.3%)	67 (9.3%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
253	t2_barth_stairs [numeric]	Mean (sd) : 1 (0.9) min < med < max: 0 < 1 < 2 IQR (CV) : 2 (0.9)	0 : 248 (37.9%) 1 : 179 (27.3%) 2 : 228 (34.8%)	68 (9.4%)
254	t2_barth_bathing [numeric]	Min : 0 Mean : 0.5 Max : 1	0 : 304 (46.3%) 1 : 352 (53.7%)	67 (9.3%)
255	t2_barth_totalscore_def [numeric]	Mean (sd) : 15.9 (4.7) min < med < max: 0 < 18 < 20 IQR (CV) : 6 (0.3)	21 distinct values	68 (9.4%)
256	t2_user_zitten [numeric]	Mean (sd) : 4.8 (0.5) min < med < max: 2 < 5 < 5 IQR (CV) : 0 (0.1)	2 : 1 (1.7%) 3 : 1 (1.7%) 4 : 5 (8.6%) 5 : 51 (87.9%)	665 (92.0%)
257	t2_user_staan [numeric]	Mean (sd) : 4.4 (1.1) min < med < max: 1 < 5 < 5 IQR (CV) : 1 (0.2)	1 : 2 (3.4%) 2 : 3 (5.2%) 3 : 4 (6.9%) 4 : 10 (17.2%) 5 : 39 (67.2%)	665 (92.0%)
258	t2_user_transfers [numeric]	Mean (sd) : 4.3 (1.1) min < med < max: 1 < 5 < 5 IQR (CV) : 1 (0.3)	1 : 2 (3.4%) 2 : 4 (6.9%) 3 : 4 (6.9%) 4 : 14 (24.1%) 5 : 34 (58.6%)	665 (92.0%)
259	t2_user_lopenbinnen [numeric]	Mean (sd) : 4 (1.1) min < med < max: 0 < 4 < 5 IQR (CV) : 1 (0.3)	0 : 1 (1.7%) 1 : 1 (1.7%) 2 : 5 (8.6%) 3 : 5 (8.6%) 4 : 22 (37.9%) 5 : 24 (41.4%)	665 (92.0%)
260	t2_user_lopenafstand [numeric]	Mean (sd) : 2.7 (1.8) min < med < max: 0 < 3 < 5 IQR (CV) : 3 (0.7)	0 : 11 (19.0%) 1 : 5 (8.6%) 2 : 9 (15.5%) 3 : 6 (10.3%) 4 : 17 (29.3%) 5 : 10 (17.2%)	665 (92.0%)
261	t2_user_traplopen [numeric]	Mean (sd) : 2.5 (2.1) min < med < max: 0 < 3 < 5 IQR (CV) : 5 (0.8)	0 : 20 (35.1%) 2 : 6 (10.5%) 3 : 8 (14.0%) 4 : 6 (10.5%) 5 : 17 (29.8%)	666 (92.1%)
262	t2_user_rolstoel [numeric]	Mean (sd) : 4.5 (1.5) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 5 (8.8%) 1 : 1 (1.8%) 5 : 51 (89.5%)	666 (92.1%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
263	t2_user_totalmobiliteit [numeric]	Mean (sd) : 27.4 (6.9) min < med < max: 8 < 29 < 35 IQR (CV) : 10 (0.3)	20 distinct values	667 (92.3%)
264	t2_user_etendrinken [numeric]	Mean (sd) : 4.8 (0.8) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 1 (1.7%) 3 : 3 (5.2%) 4 : 1 (1.7%) 5 : 53 (91.4%)	665 (92.0%)
265	t2_user_persverzorging [numeric]	Mean (sd) : 4.5 (1.1) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 3 (5.2%) 2 : 2 (3.4%) 3 : 4 (6.9%) 4 : 3 (5.2%) 5 : 46 (79.3%)	665 (92.0%)
266	t2_user_douchenbaden [numeric]	Mean (sd) : 3.8 (1.4) min < med < max: 1 < 4 < 5 IQR (CV) : 2 (0.4)	1 : 8 (13.8%) 2 : 2 (3.4%) 3 : 7 (12.1%) 4 : 15 (25.9%) 5 : 26 (44.8%)	665 (92.0%)
267	t2_user_aanuitkleden [numeric]	Mean (sd) : 4.1 (1.4) min < med < max: 1 < 5 < 5 IQR (CV) : 1.8 (0.4)	1 : 7 (12.1%) 2 : 3 (5.2%) 3 : 5 (8.6%) 4 : 8 (13.8%) 5 : 35 (60.3%)	665 (92.0%)
268	t2_user_toiletgang [numeric]	Mean (sd) : 4.7 (0.8) min < med < max: 2 < 5 < 5 IQR (CV) : 0 (0.2)	2 : 3 (5.2%) 3 : 1 (1.7%) 4 : 8 (13.8%) 5 : 46 (79.3%)	665 (92.0%)
269	t2_user_incontblaas [numeric]	Mean (sd) : 4.7 (1.1) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 3 (5.2%) 3 : 1 (1.7%) 4 : 3 (5.2%) 5 : 51 (87.9%)	665 (92.0%)
270	t2_user_incontdarm [numeric]	Mean (sd) : 4.7 (1) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 2 (3.4%) 3 : 1 (1.7%) 4 : 3 (5.2%) 5 : 52 (89.7%)	665 (92.0%)
271	t2_user_totalverzorging [numeric]	Mean (sd) : 31.3 (5.6) min < med < max: 15 < 34 < 35 IQR (CV) : 4.8 (0.2)	15 distinct values	665 (92.0%)
272	t2_user_uiten [numeric]	Min : 4 Mean : 5 Max : 5	4 : 2 (3.5%) 5 : 55 (96.5%)	666 (92.1%)
273	t2_user_begrijpen [numeric]	Mean (sd) : 4.8 (0.6) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.1)	1 : 1 (1.8%) 3 : 2 (3.5%) 4 : 1 (1.8%) 5 : 53 (93.0%)	666 (92.1%)
274	t2_user_waarneming [numeric]	Mean (sd) : 4.7 (0.6) min < med < max: 2 < 5 < 5 IQR (CV) : 0 (0.1)	2 : 2 (3.4%) 4 : 10 (17.2%) 5 : 46 (79.3%)	665 (92.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
275	t2_user_orientatie [numeric]	Mean (sd) : 4.7 (0.9) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.2)	0 : 1 (1.7%) 1 : 1 (1.7%) 3 : 3 (5.2%) 4 : 1 (1.7%) 5 : 52 (89.7%)	665 (92.0%)
276	t2_user_aandacht [numeric]	Mean (sd) : 4.8 (0.7) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.1)	1 : 1 (1.7%) 3 : 3 (5.2%) 4 : 1 (1.7%) 5 : 53 (91.4%)	665 (92.0%)
277	t2_user_geheugen [numeric]	Mean (sd) : 4.6 (1) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 3 (5.2%) 2 : 1 (1.7%) 3 : 3 (5.2%) 4 : 2 (3.4%) 5 : 49 (84.5%)	665 (92.0%)
278	t2_user_taakuitvoering [numeric]	Mean (sd) : 4.8 (0.7) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 1 (1.7%) 2 : 1 (1.7%) 3 : 1 (1.7%) 4 : 3 (5.2%) 5 : 52 (89.7%)	665 (92.0%)
279	t2_user_initiatief [numeric]	Mean (sd) : 4.8 (0.7) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.1)	1 : 1 (1.8%) 3 : 3 (5.3%) 4 : 3 (5.3%) 5 : 50 (87.7%)	666 (92.1%)
280	t2_user_gedragregulatie [numeric]	Mean (sd) : 4.9 (0.4) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 2 (3.6%) 4 : 2 (3.6%) 5 : 52 (92.9%)	667 (92.3%)
281	t2_user_sociaalgedrag [numeric]	Mean (sd) : 4.9 (0.4) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 2 (3.6%) 4 : 2 (3.6%) 5 : 51 (92.7%)	668 (92.4%)
282	t2_user_cognitfunctioneren [numeric]	Mean (sd) : 47.9 (4.9) min < med < max: 24 < 50 < 50 IQR (CV) : 1.8 (0.1)	12 distinct values	669 (92.5%)
283	t2_user_pijn [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50 8. 60 9. 70	675 (93.4%) 32 (4.4%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 2 (0.3%) 5 (0.7%) 2 (0.3%) 2 (0.3%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
284	t2_user_vermoeidheid [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50 8. 60 9. 70 10. 80	675 (93.4%) 11 (1.5%) 6 (0.8%) 4 (0.6%) 9 (1.2%) 6 (0.8%) 5 (0.7%) 2 (0.3%) 3 (0.4%) 2 (0.3%)	0 (0.0%)
285	t2_user_somberheid [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50 8. 70 9. 80	676 (93.5%) 32 (4.4%) 1 (0.1%) 3 (0.4%) 3 (0.4%) 3 (0.4%) 1 (0.1%) 2 (0.3%) 2 (0.3%)	0 (0.0%)
286	t2_user_verdriet [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 50 7. 70 8. 80	677 (93.6%) 30 (4.1%) 3 (0.4%) 4 (0.6%) 4 (0.6%) 2 (0.3%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
287	t2_user_angst [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 40 7. 50	677 (93.6%) 36 (5.0%) 1 (0.1%) 2 (0.3%) 3 (0.4%) 2 (0.3%) 2 (0.3%)	0 (0.0%)
288	t2_user_boosheid [character]	1. (Empty string) 2. 0 3. 10 4. 20 5. 30 6. 50	677 (93.6%) 36 (5.0%) 5 (0.7%) 2 (0.3%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
289	t2_user_cognitfunctioneren_1 [numeric]	Mean (sd) : 35.9 (54.8) min < med < max: 0 < 0 < 190 IQR (CV) : 57.5 (1.5)	14 distinct values	677 (93.6%)
290	t2_FIM_eating [haven_labelled, vctrs_vctr, double]	Mean (sd) : 5.1 (1.3) min < med < max: 1 < 5 < 7 IQR (CV) : 1 (0.3)	1 : 1 (3.2%) 3 : 3 (9.7%) 4 : 2 (6.5%) 5 : 11 (35.5%) 6 : 12 (38.7%) 7 : 2 (6.5%)	692 (95.7%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
291	t2_FIM_grooming [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.5 (1.3) min < med < max: 2 < 5 < 7 IQR (CV) : 1 (0.3)	2 : 4 (12.9%) 3 : 3 (9.7%) 4 : 6 (19.4%) 5 : 12 (38.7%) 6 : 5 (16.1%) 7 : 1 (3.2%)	692 (95.7%)
292	t2_FIM_bathing [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (1.1) min < med < max: 2 < 4 < 6 IQR (CV) : 1.5 (0.3)	2 : 6 (19.4%) 3 : 8 (25.8%) 4 : 9 (29.0%) 5 : 7 (22.6%) 6 : 1 (3.2%)	692 (95.7%)
293	t2_FIM_dressupperbody [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.3 (1.4) min < med < max: 2 < 3 < 7 IQR (CV) : 2 (0.4)	2 : 10 (32.3%) 3 : 10 (32.3%) 4 : 6 (19.4%) 5 : 2 (6.5%) 6 : 2 (6.5%) 7 : 1 (3.2%)	692 (95.7%)
294	t2_FIM_dresslowerbody [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.5 (1.5) min < med < max: 2 < 4 < 7 IQR (CV) : 2 (0.3)	2 : 5 (16.1%) 3 : 2 (6.5%) 4 : 9 (29.0%) 5 : 6 (19.4%) 6 : 7 (22.6%) 7 : 2 (6.5%)	692 (95.7%)
295	t2_FIM_toileting [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.2 (1.6) min < med < max: 1 < 4 < 7 IQR (CV) : 2.5 (0.4)	1 : 1 (3.2%) 2 : 6 (19.4%) 3 : 2 (6.5%) 4 : 9 (29.0%) 5 : 5 (16.1%) 6 : 6 (19.4%) 7 : 2 (6.5%)	692 (95.7%)
296	t2_FIM_bladder [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.5 (1.8) min < med < max: 1 < 3 < 7 IQR (CV) : 3 (0.5)	1 : 3 (9.7%) 2 : 9 (29.0%) 3 : 6 (19.4%) 4 : 3 (9.7%) 5 : 4 (12.9%) 6 : 5 (16.1%) 7 : 1 (3.2%)	692 (95.7%)
297	t2_FIM_bowel [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.9 (1.9) min < med < max: 1 < 6 < 7 IQR (CV) : 2.5 (0.4)	1 : 1 (3.2%) 2 : 5 (16.1%) 3 : 2 (6.5%) 4 : 1 (3.2%) 5 : 6 (19.4%) 6 : 10 (32.3%) 7 : 6 (19.4%)	692 (95.7%)
298	t2_FIM_transfer_bedchairwheelchair [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.5 (1.3) min < med < max: 2 < 5 < 7 IQR (CV) : 1.5 (0.3)	2 : 3 (9.7%) 3 : 5 (16.1%) 4 : 4 (12.9%) 5 : 12 (38.7%) 6 : 6 (19.4%) 7 : 1 (3.2%)	692 (95.7%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
299	t2_FIM_transfer_bathshower [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.5 (1.3) min < med < max: 2 < 5 < 7 IQR (CV) : 1.5 (0.3)	2 : 2 (6.5%) 3 : 6 (19.4%) 4 : 5 (16.1%) 5 : 12 (38.7%) 6 : 5 (16.1%) 7 : 1 (3.2%)	692 (95.7%)
300	t2_FIM_transfer_toilet [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.4 (1.3) min < med < max: 2 < 5 < 6 IQR (CV) : 2 (0.3)	2 : 3 (9.7%) 3 : 6 (19.4%) 4 : 4 (12.9%) 5 : 13 (41.9%) 6 : 5 (16.1%)	692 (95.7%)
301	t2_FIM_loco_walkwheelchair [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.5 (1.2) min < med < max: 2 < 5 < 7 IQR (CV) : 1 (0.3)	2 : 3 (9.7%) 3 : 2 (6.5%) 4 : 9 (29.0%) 5 : 11 (35.5%) 6 : 5 (16.1%) 7 : 1 (3.2%)	692 (95.7%)
302	t2_FIM_loco_mostfrequent [numeric]	Min : 1 Mean : 1.3 Max : 2	1 : 22 (71.0%) 2 : 9 (29.0%)	692 (95.7%)
303	t2_FIM_loco_stairs [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.1 (1.6) min < med < max: 1 < 3 < 7 IQR (CV) : 2 (0.5)	1 : 6 (19.4%) 2 : 7 (22.6%) 3 : 5 (16.1%) 4 : 7 (22.6%) 5 : 4 (12.9%) 6 : 1 (3.2%) 7 : 1 (3.2%)	692 (95.7%)
304	t2_FIM_comprehension [haven_labelled, vctrs_vctr, double]	Mean (sd) : 5.3 (1.4) min < med < max: 2 < 5 < 7 IQR (CV) : 1 (0.3)	2 : 2 (6.5%) 3 : 2 (6.5%) 4 : 3 (9.7%) 5 : 9 (29.0%) 6 : 8 (25.8%) 7 : 7 (22.6%)	692 (95.7%)
305	t2_FIM_expression [haven_labelled, vctrs_vctr, double]	Mean (sd) : 5.8 (1.4) min < med < max: 2 < 6 < 7 IQR (CV) : 2 (0.2)	2 : 1 (3.2%) 3 : 3 (9.7%) 4 : 1 (3.2%) 5 : 4 (12.9%) 6 : 10 (32.3%) 7 : 12 (38.7%)	692 (95.7%)
306	t2_FIM_socialinteract [haven_labelled, vctrs_vctr, double]	Mean (sd) : 5.4 (1.6) min < med < max: 1 < 6 < 7 IQR (CV) : 1.5 (0.3)	1 : 1 (3.2%) 3 : 5 (16.1%) 5 : 8 (25.8%) 6 : 9 (29.0%) 7 : 8 (25.8%)	692 (95.7%)
307	t2_FIM_problemsolving [haven_labelled, vctrs_vctr, double]	Mean (sd) : 5 (1.7) min < med < max: 1 < 5 < 7 IQR (CV) : 3 (0.4)	1 : 1 (3.2%) 2 : 2 (6.5%) 3 : 6 (19.4%) 5 : 7 (22.6%) 6 : 9 (29.0%) 7 : 6 (19.4%)	692 (95.7%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
308	t2_FIM_memory [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.9 (1.7) min < med < max: 1 < 5 < 7 IQR (CV) : 3 (0.3)	1 : 1 (3.2%) 2 : 1 (3.2%) 3 : 7 (22.6%) 4 : 1 (3.2%) 5 : 8 (25.8%) 6 : 7 (22.6%) 7 : 6 (19.4%)	692 (95.7%)
309	t2_weight [numeric]	Mean (sd) : 78 (16.6) min < med < max: 30.9 < 77 < 134.8 IQR (CV) : 20.4 (0.2)	263 distinct values	118 (16.3%)
310	t2_malnutrition [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.9) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (0.8)	1 : 174 (25.8%) 2 : 456 (67.7%) 9 : 44 (6.5%)	49 (6.8%)
311	t2_malnutr_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.8 (2.1) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (0.8)	1 : 31 (17.9%) 2 : 85 (49.1%) 3 : 33 (19.1%) 4 : 8 (4.6%) 9 : 16 (9.2%)	550 (76.1%)
312	t2_malnutr_other [character]	1. (Empty string) 2. -96 3. Burton 4. Follow up since admission 5. GLIM CRITERIA 6. sanq rc 7. SNAQ-rc 8. SNAQ-RC 9. WHO energiebehoefte en vo	714 (98.8%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
313	t2_cog_impairment [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.5) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.7)	1 : 146 (21.7%) 2 : 499 (74.3%) 9 : 27 (4.0%)	51 (7.1%)
314	t2_cogimpairment_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (2.7) min < med < max: 1 < 3 < 9 IQR (CV) : 3.5 (0.8)	1 : 43 (29.9%) 2 : 7 (4.9%) 3 : 55 (38.2%) 4 : 3 (2.1%) 6 : 13 (9.0%) 9 : 23 (16.0%)	579 (80.1%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
315	t2_cogimp_other [character]	1. (Empty string) 2. Clinical Assessment 3. Pfeiffer 4. -96 5. . 6. ADS (Amsterdamse Dementie 7. AMT 8. DOS 9. Follow-up scheduled with 10. Pfeiffer [3 others]	709 (98.1%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 3 (0.4%)	0 (0.0%)
316	t2_depression [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.6) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.7)	1 : 88 (13.0%) 2 : 552 (81.8%) 9 : 35 (5.2%)	48 (6.6%)
317	t2_mood_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.8 (2.2) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.8)	1 : 11 (12.5%) 2 : 59 (67.0%) 3 : 1 (1.1%) 4 : 8 (9.1%) 9 : 9 (10.2%)	635 (87.8%)
318	t2_mood_other [character]	1. (Empty string) 2. -96 3. Clinical evaluation 4. Clinical interview. 5. Clinical judgement 6. Clinical presentation 7. PHQ-2 8. Recorded by medical team 9. self reported 10. Treatment.	714 (98.8%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
319	t2_fatigue [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (2) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (1)	1 : 321 (47.7%) 2 : 305 (45.3%) 9 : 47 (7.0%)	50 (6.9%)
320	t2_fatigue_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.8 (3.4) min < med < max: 1 < 2 < 9 IQR (CV) : 8 (0.9)	1 : 116 (36.2%) 2 : 62 (19.4%) 3 : 50 (15.6%) 9 : 92 (28.7%)	403 (55.7%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
321	t2_fatigue_other [character]	1. (Empty string) 2. NRS 3. USER 4. subjective report 5. anamnesis 6. Clinical observation 7. self reported 8. Subjective complaint. 9. Clinical Assessment 10. Clinical question. [14 others]	672 (92.9%) 7 (1.0%) 6 (0.8%) 5 (0.7%) 4 (0.6%) 3 (0.4%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 16 (2.2%)	0 (0.0%)
322	t2_dyspnoea [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (1.6) min < med < max: 1 < 2 < 9 IQR (CV) : 1 (0.8)	1 : 203 (30.2%) 2 : 440 (65.5%) 9 : 29 (4.3%)	51 (7.1%)
323	t2_dyspnoea_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (3.3) min < med < max: 1 < 2 < 9 IQR (CV) : 8 (0.9)	1 : 81 (39.9%) 2 : 36 (17.7%) 3 : 34 (16.7%) 9 : 52 (25.6%)	520 (71.9%)
324	t2_dyspnoea_other [character]	1. (Empty string) 2. subjective report 3. NRS 4. self reported 5. anamnesis 6. Clinical observation 7. Oxygen saturation. 8. -96 9. anamnesis and saturation 10. Anamnesis, saturation mea [16 others]	688 (95.2%) 4 (0.6%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 16 (2.2%)	0 (0.0%)
325	t2_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.5) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.7)	1 : 142 (21.3%) 2 : 497 (74.5%) 9 : 28 (4.2%)	56 (7.7%)
326	t2_pain_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.1 (3.4) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (1.1)	1 : 81 (58.3%) 2 : 24 (17.3%) 9 : 34 (24.5%)	584 (80.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
327	t2_pain_other [character]	1. (Empty string) 2. -96 3. anamnesis, functioning 4. Clinical evaluation 5. Clinical judgement 6. eva 7. EVA 8. NRS score 1-10 9. USER 10. USER Vas 11. VAS	698 (96.5%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 3 (0.4%) 1 (0.1%) 14 (1.9%)	0 (0.0%)
328	t2_pain_scale [character]	1. (Empty string) 2. 20 3. 40 4. 50 5. 30 6. 10 7. 60 8. 70 9. 80 10. -96 [2 others]	608 (84.1%) 21 (2.9%) 21 (2.9%) 19 (2.6%) 17 (2.4%) 12 (1.7%) 10 (1.4%) 9 (1.2%) 3 (0.4%) 1 (0.1%) 2 (0.3%)	0 (0.0%)
329	t2_QOL [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 4.1 Max : 9	1 : 407 (61.0%) 9 : 260 (39.0%)	56 (7.7%)
330	t2_qol_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 131 (32.3%) 2 : 139 (34.2%) 3 : 84 (20.7%) 4 : 36 (8.9%) 5 : 16 (3.9%)	317 (43.8%)
331	t2_qol_selfcare [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.9 (1) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.5)	1 : 185 (45.6%) 2 : 120 (29.6%) 3 : 66 (16.3%) 4 : 25 (6.2%) 5 : 10 (2.5%)	317 (43.8%)
332	t2_qol_usualactivities [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.5 (1.2) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.5)	1 : 98 (24.1%) 2 : 125 (30.8%) 3 : 104 (25.6%) 4 : 46 (11.3%) 5 : 33 (8.1%)	317 (43.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
333	t2_qol_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.6 (0.8) min < med < max: 1 < 1 < 5 IQR (CV) : 1 (0.5)	1 : 224 (55.2%) 2 : 116 (28.6%) 3 : 53 (13.1%) 4 : 11 (2.7%) 5 : 2 (0.5%)	317 (43.8%)
334	t2_qol_anxiety [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.5 (0.8) min < med < max: 1 < 1 < 4 IQR (CV) : 1 (0.5)	1 : 251 (62.0%) 2 : 101 (24.9%) 3 : 44 (10.9%) 4 : 9 (2.2%)	318 (44.0%)
335	t2_qol_scale [character]	1. (Empty string) 2. 60 3. 70 4. 80 5. 50 6. 90 7. 75 8. 40 9. 65 10. 30 [43 others]	329 (45.5%) 56 (7.7%) 55 (7.6%) 44 (6.1%) 37 (5.1%) 26 (3.6%) 20 (2.8%) 16 (2.2%) 15 (2.1%) 8 (1.1%) 117 (16.2%)	0 (0.0%)
336	t2_qol_healthtoday [numeric]	Mean (sd) : 65.7 (16.5) min < med < max: 9 < 68 < 100 IQR (CV) : 25 (0.3)	52 distinct values	330 (45.6%)
337	t2_thromboembolism [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.3) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.6)	1 : 17 (2.5%) 2 : 642 (94.0%) 9 : 24 (3.5%)	40 (5.5%)
338	t2_delirium [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.1) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 62 (9.1%) 2 : 605 (88.7%) 9 : 15 (2.2%)	41 (5.7%)
339	t2_delirium_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.7 (2.9) min < med < max: 1 < 3 < 9 IQR (CV) : 1 (0.8)	1 : 7 (11.5%) 2 : 23 (37.7%) 3 : 18 (29.5%) 9 : 13 (21.3%)	662 (91.6%)
340	t2_delirium_other [character]	1. (Empty string) 2. AMT 3. cam 4. CAM 5. Clinical 6. Clinical Assessment 7. MDA	705 (97.5%) 1 (0.1%) 1 (0.1%) 13 (1.8%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
341	t2_pressure_ulcer [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.5)	1 : 35 (5.1%) 2 : 631 (92.8%) 9 : 14 (2.1%)	43 (5.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
342	t2_destination_discharge [factor]	1. Own home 2. Assisted living 3. Nursing home 4. Hospital 5. Deceased 6. Other	544 (77.4%) 44 (6.3%) 59 (8.4%) 30 (4.3%) 11 (1.6%) 15 (2.1%)	20 (2.8%)
343	t2_dateofdeath [Date]	1. 1582-10-14 2. 2020-12-05 3. 2020-12-20 4. 2020-12-30 5. 2021-01-17 6. 2021-03-04 7. 2021-04-15 8. 2021-08-18 9. 2021-12-06	1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%) 1 (11.1%)	714 (98.8%)
344	t2_destination_other [character]	1. (Empty string) 2. convalescence 3. Long term care - rehabili 4. convent as before 5. daughter's house 6. Discharged back to warden 7. Discharged home with full 8. Discharged home with incr 9. Discharged to daughter's 10. her daughter,s house defi [12 others]	700 (96.8%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 12 (1.7%)	0 (0.0%)
345	t2_length_stay [numeric]	Mean (sd) : 38.1 (128) min < med < max: -1 < 26 < 3295 IQR (CV) : 24 (3.4)	110 distinct values	32 (4.4%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
346	t2_othercomplications [character]	1. (Empty string) 2. No 3. x 4. - Epileptic crisis - Seps 5. -96 6. 2 x heropname ziekenhuis 7. 3 episodes of foul smelli 8. Acute urinary retentionCo 9. Acute urinary retentionMo 10. after covidvaccination se [71 others]	641 (88.7%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 71 (9.8%)	0 (0.0%)
347	t2_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2 (2) min < med < max: 1 < 1 < 9 IQR (CV) : 1 (1)	1 : 309 (51.4%) 2 : 247 (41.1%) 9 : 45 (7.5%)	122 (16.9%)
348	t2_mobility_tool [haven_labelled, vctrs_vctr, double]	Mean (sd) : 3.6 (3.3) min < med < max: 1 < 2 < 9 IQR (CV) : 8 (0.9)	1 : 85 (29.0%) 2 : 129 (44.0%) 9 : 79 (27.0%)	430 (59.5%)
349	t2_mobility_other [character]	1. (Empty string) 2. RMI. 3. functional assessment 4. sppb 5. Elderly mobility scale 6. Elderly Mobility Scale 7. Observation 8. Barthel Index 9. BBS 10. FAC:4 [52 others]	596 (82.4%) 30 (4.1%) 7 (1.0%) 6 (0.8%) 4 (0.6%) 4 (0.6%) 4 (0.6%) 3 (0.4%) 3 (0.4%) 3 (0.4%) 63 (8.7%)	0 (0.0%)
350	t2_mobility_TUG [numeric]	Mean (sd) : 20.4 (9.6) min < med < max: 2 < 17.7 < 56 IQR (CV) : 10.3 (0.5)	45 distinct values	647 (89.5%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
351	t2_mrc_biceps [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.2 (0.8) min < med < max: 0 < 4 < 5 IQR (CV) : 1 (0.2)	0 : 2 (0.6%) 1 : 1 (0.3%) 2 : 7 (2.2%) 3 : 38 (11.8%) 4 : 142 (44.2%) 5 : 131 (40.8%)	402 (55.6%)
352	t2_mrc_quadriceps [haven_labelled, vctrs_vctr, double]	Mean (sd) : 4.2 (0.8) min < med < max: 0 < 4 < 5 IQR (CV) : 1 (0.2)	0 : 1 (0.3%) 2 : 10 (3.1%) 3 : 44 (13.7%) 4 : 147 (45.8%) 5 : 119 (37.1%)	402 (55.6%)
353	t2_HGS [numeric]	Mean (sd) : 21.3 (9) min < med < max: 2 < 20 < 53 IQR (CV) : 10 (0.4)	49 distinct values	583 (80.6%)
354	t2_professionals#Elderly_Care_PhysicianGeriatricianRehabilit [haven_labelled, vctrs_vctr, double]	Mean : 1 Max : 1	0 : 32 (4.7%) 1 : 642 (95.3%)	49 (6.8%)
355	t2_professionals#Skilled_Nurse [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.9 Max : 1	0 : 95 (14.1%) 1 : 579 (85.9%)	49 (6.8%)
356	t2_professionals#Physiotherapist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 1 Max : 1	0 : 26 (3.9%) 1 : 648 (96.1%)	49 (6.8%)
357	t2_professionals#Occupational_therapist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.7 Max : 1	0 : 199 (29.5%) 1 : 475 (70.5%)	49 (6.8%)
358	t2_professionals#Speech_therapist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 521 (77.3%) 1 : 153 (22.7%)	49 (6.8%)
359	t2_professionals#Dietician [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.6 Max : 1	0 : 294 (43.6%) 1 : 380 (56.4%)	49 (6.8%)
360	t2_professionals#Social_worker [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 389 (57.7%) 1 : 285 (42.3%)	49 (6.8%)
361	t2_professionals#Psychologist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 488 (72.4%) 1 : 186 (27.6%)	49 (6.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
362	t2_professionals#Pharmacologist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 544 (80.7%) 1 : 130 (19.3%)	49 (6.8%)
363	t2_professionals#Other [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 609 (90.4%) 1 : 65 (9.6%)	49 (6.8%)
364	t2_professionals_other [character]	1. (Empty string) 2. Internal Medicine Ph 3. General Practitioner 4. neurologist 5. Nurse practitioner 6. Spiritual counsellor 7. General practitioner 8. NP 9. nurse practitioner 10. Podiatrist [22 others]	658 (91.0%) 18 (2.5%) 5 (0.7%) 3 (0.4%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 25 (3.5%)	0 (0.0%)
365	t2_interventions#Medication [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.8 Max : 1	0 : 160 (23.9%) 1 : 510 (76.1%)	53 (7.3%)
366	t2_interventions#Oxygen_therapy [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 381 (56.9%) 1 : 289 (43.1%)	53 (7.3%)
367	t2_interventions#Pressure_ulcer_treatment [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 587 (87.6%) 1 : 83 (12.4%)	53 (7.3%)
368	t2_interventions#Nutrition [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.7 Max : 1	0 : 233 (34.8%) 1 : 437 (65.2%)	53 (7.3%)
369	t2_interventions#Occupational_therapy_for_maintaining_ADL_and_p [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.6 Max : 1	0 : 249 (37.2%) 1 : 421 (62.8%)	53 (7.3%)
370	t2_interventions#Occupational_therapy_for_mouse_adaptations [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 397 (59.3%) 1 : 273 (40.7%)	53 (7.3%)
371	t2_interventions#Physiotherapy_targeting_sarcomeres [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.7 Max : 1	0 : 174 (26.0%) 1 : 496 (74.0%)	53 (7.3%)
372	t2_interventions#Physiotherapy_targeting_lung_function [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.6 Max : 1	0 : 262 (39.1%) 1 : 408 (60.9%)	53 (7.3%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
373	t2_interventions#Speechlanguage_therapy_targeting_dysphagia [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 577 (86.1%) 1 : 93 (13.9%)	53 (7.3%)
374	t2_interventions#Speechlanguage_therapy_targeting_voicespeec [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 609 (90.9%) 1 : 61 (9.1%)	53 (7.3%)
375	t2_interventions#Psychosocial_support [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 500 (74.6%) 1 : 170 (25.4%)	53 (7.3%)
376	t2_interventions#Cognitive_training [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 588 (87.8%) 1 : 82 (12.2%)	53 (7.3%)
377	t2_interventions#Activities_targeting_reuptakinofformer_soc [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 539 (80.4%) 1 : 131 (19.6%)	53 (7.3%)
378	t2_interventions#Organizing_care_after_dischargefrom_GR_war [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 371 (55.4%) 1 : 299 (44.6%)	53 (7.3%)
379	t2_interventions#Support_activities_for_informal_careers [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 598 (89.3%) 1 : 72 (10.7%)	53 (7.3%)
380	t2_interventions#Other [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0 Max : 1	0 : 655 (97.8%) 1 : 15 (2.2%)	53 (7.3%)
381	t2_interventions_other [character]	1. (Empty string) 2. Ambulatory rehabilitation 3. Ambulatory rehabilitattoi 4. Breathing excercices 5. Cognitive screening 6. fysiotherapie after disch 7. Heart failure nurse speci 8. Occupational therapy for 9. ORL valoration 10. Podiatrist [4 others]	708 (97.9%) 3 (0.4%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 4 (0.6%)	0 (0.0%)
382	t2_medication#Anabolic_steroids [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 584 (82.4%) 1 : 125 (17.6%)	14 (1.9%)
383	t2_medication#lung_medication [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 448 (63.2%) 1 : 261 (36.8%)	14 (1.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
384	t2_medication#thromboembolic prophylaxis [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.5 Max : 1	0 : 364 (51.3%) 1 : 345 (48.7%)	14 (1.9%)
385	t2_medication#medication related to complications ie delirium [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 584 (82.4%) 1 : 125 (17.6%)	14 (1.9%)
386	t2_nutrition#Protein calorie enriched food [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.4 Max : 1	0 : 445 (61.5%) 1 : 278 (38.5%)	0 (0.0%)
387	t2_nutrition#Protein calorie enriched supplement sip feeding [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.3 Max : 1	0 : 531 (73.4%) 1 : 192 (26.6%)	0 (0.0%)
388	t2_nutrition#Protein calorie enriched tube feeding [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0 Max : 1	0 : 701 (97.0%) 1 : 22 (3.0%)	0 (0.0%)
389	t2_physio_sarcopenia#Resistance training [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.5 Max : 1	0 : 353 (48.8%) 1 : 370 (51.2%)	0 (0.0%)
390	t2_physio_sarcopenia#Endurance training [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.6 Max : 1	0 : 321 (44.4%) 1 : 402 (55.6%)	0 (0.0%)
391	t2_physio_lung#Training respiratory muscles [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.5 Max : 1	0 : 387 (53.5%) 1 : 336 (46.5%)	0 (0.0%)
392	t2_physio_lung#Other [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.1 Max : 1	0 : 684 (94.6%) 1 : 39 (5.4%)	0 (0.0%)
393	t2_physio_lung_other [character]	1. (Empty string) 2. breathing exercises 3. flow incentivator 4. Breathing exercises 5. progressive increase in d 6. advice re clearing of spu 7. advice re expectoration o 8. Assessment of cough and s 9. building up walking dista 10. chest clearance and breat [20 others]	688 (95.2%) 3 (0.4%) 3 (0.4%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 20 (2.8%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
394	t2_psychosocial#Support_by_psychologist [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.2 Max : 1	0 : 600 (83.0%) 1 : 123 (17.0%)	0 (0.0%)
395	t2_psychosocial#Other [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0 Max : 1	0 : 687 (95.0%) 1 : 36 (5.0%)	0 (0.0%)
396	t2_physiosocial_other [character]	1. (Empty string) 2. by social worker 3. social work 4. social worker 5. Support by multidisciplin 6. Support by spiritual coun 7. Bereavement support by nu 8. Community Psychiatric tea 9. CPN input 10. CPN involvement for anxie [15 others]	694 (96.0%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 15 (2.1%)	0 (0.0%)
397	t3_vitalstatus [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 1 Max : 1	0 : 24 (3.9%) 1 : 584 (96.1%)	115 (15.9%)
398	t3_dateofdeath [Date]	min : 2020-12-02 med : 2021-03-01 max : 2021-12-06 range : 1y 0m 4d	20 distinct values	702 (97.1%)
399	t3_date_questionnaire [Date]	min : 2020-01-02 med : 2021-05-24 max : 2022-10-24 range : 2y 9m 22d	214 distinct values	197 (27.2%)
400	t3_ADL_method [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 1 Max : 2	1 : 496 (95.6%) 2 : 23 (4.4%)	204 (28.2%)
401	t3_barth_bowels [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 29 (5.6%) 1 : 32 (6.2%) 2 : 458 (88.2%)	204 (28.2%)
402	t3_barth_bladder [numeric]	Mean (sd) : 1.7 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 34 (6.6%) 1 : 106 (20.4%) 2 : 379 (73.0%)	204 (28.2%)
403	t3_barth_feeding [numeric]	Mean (sd) : 1.9 (0.4) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 9 (1.7%) 1 : 38 (7.3%) 2 : 472 (90.9%)	204 (28.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
404	t3_barth_grooming [numeric]	Min : 0 Mean : 0.9 Max : 1	0 : 76 (14.6%) 1 : 443 (85.4%)	204 (28.2%)
405	t3_barth_dressing [numeric]	Mean (sd) : 1.6 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 36 (6.9%) 1 : 114 (22.0%) 2 : 369 (71.1%)	204 (28.2%)
406	t3_barth_transfer [numeric]	Mean (sd) : 2.7 (0.7) min < med < max: 0 < 3 < 3 IQR (CV) : 0 (0.3)	0 : 9 (1.7%) 1 : 32 (6.2%) 2 : 78 (15.0%) 3 : 400 (77.1%)	204 (28.2%)
407	t3_barth_toiletuse [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 29 (5.6%) 1 : 61 (11.8%) 2 : 427 (82.6%)	206 (28.5%)
408	t3_barth_mobility [numeric]	Mean (sd) : 2.6 (0.8) min < med < max: 0 < 3 < 3 IQR (CV) : 1 (0.3)	0 : 25 (4.8%) 1 : 21 (4.1%) 2 : 87 (16.8%) 3 : 385 (74.3%)	205 (28.4%)
409	t3_barth_stairs [numeric]	Mean (sd) : 1.2 (0.9) min < med < max: 0 < 2 < 2 IQR (CV) : 2 (0.7)	0 : 143 (27.7%) 1 : 109 (21.1%) 2 : 265 (51.3%)	206 (28.5%)
410	t3_barth_bathing [numeric]	Min : 0 Mean : 0.6 Max : 1	0 : 184 (35.7%) 1 : 332 (64.3%)	207 (28.6%)
411	t3_barth_totalscore_def [numeric]	Mean (sd) : 16.8 (4.5) min < med < max: 0 < 19 < 20 IQR (CV) : 4 (0.3)	21 distinct values	208 (28.8%)
412	t3_user_zitten [numeric]	Mean (sd) : 4.8 (0.5) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 1 (4.3%) 4 : 2 (8.7%) 5 : 20 (87.0%)	700 (96.8%)
413	t3_user_staan [numeric]	Mean (sd) : 4.3 (1.3) min < med < max: 1 < 5 < 5 IQR (CV) : 1.5 (0.3)	1 : 1 (4.3%) 2 : 2 (8.7%) 3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 16 (69.6%)	700 (96.8%)
414	t3_user_transfers [numeric]	Mean (sd) : 4.2 (1.3) min < med < max: 1 < 5 < 5 IQR (CV) : 1.5 (0.3)	1 : 2 (8.7%) 2 : 1 (4.3%) 3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 16 (69.6%)	700 (96.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
415	t3_user_lopenbinnen [numeric]	Mean (sd) : 4 (1.4) min < med < max: 1 < 5 < 5 IQR (CV) : 2 (0.4)	1 : 2 (8.7%) 2 : 3 (13.0%) 3 : 2 (8.7%) 4 : 2 (8.7%) 5 : 14 (60.9%)	700 (96.8%)
416	t3_user_lopenafstand [numeric]	Mean (sd) : 3.2 (1.8) min < med < max: 0 < 4 < 5 IQR (CV) : 3 (0.6)	0 : 2 (8.7%) 1 : 3 (13.0%) 2 : 4 (17.4%) 3 : 2 (8.7%) 4 : 3 (13.0%) 5 : 9 (39.1%)	700 (96.8%)
417	t3_user_traplopen [numeric]	Mean (sd) : 3 (2) min < med < max: 0 < 3 < 5 IQR (CV) : 4 (0.7)	0 : 4 (17.4%) 1 : 3 (13.0%) 2 : 2 (8.7%) 3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 10 (43.5%)	700 (96.8%)
418	t3_user_rolstoel [numeric]	Min : 0 Mean : 4.1 Max : 5	0 : 4 (17.4%) 5 : 19 (82.6%)	700 (96.8%)
419	t3_user_totalmobiliteit [numeric]	Mean (sd) : 27.7 (7.8) min < med < max: 9 < 30 < 35 IQR (CV) : 10 (0.3)	14 distinct values	700 (96.8%)
420	t3_user_etendrinken [numeric]	Mean (sd) : 4.9 (0.5) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 1 (4.3%) 4 : 1 (4.3%) 5 : 21 (91.3%)	700 (96.8%)
421	t3_user_persverzorging [numeric]	Mean (sd) : 4.6 (0.7) min < med < max: 3 < 5 < 5 IQR (CV) : 0.5 (0.2)	3 : 3 (13.0%) 4 : 3 (13.0%) 5 : 17 (73.9%)	700 (96.8%)
422	t3_user_douchenbaden [numeric]	Mean (sd) : 4 (1.4) min < med < max: 1 < 5 < 5 IQR (CV) : 2 (0.3)	1 : 2 (8.7%) 2 : 2 (8.7%) 3 : 3 (13.0%) 4 : 3 (13.0%) 5 : 13 (56.5%)	700 (96.8%)
423	t3_user_aanuitkleden [numeric]	Mean (sd) : 4.3 (0.9) min < med < max: 3 < 5 < 5 IQR (CV) : 1.5 (0.2)	3 : 6 (26.1%) 4 : 3 (13.0%) 5 : 14 (60.9%)	700 (96.8%)
424	t3_user_toiletgang [numeric]	Mean (sd) : 4.8 (0.7) min < med < max: 2 < 5 < 5 IQR (CV) : 0 (0.1)	2 : 1 (4.3%) 4 : 1 (4.3%) 5 : 21 (91.3%)	700 (96.8%)
425	t3_user_incontblaas [numeric]	Mean (sd) : 4.4 (1.5) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (4.3%) 1 : 2 (8.7%) 5 : 20 (87.0%)	700 (96.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
426	t3_user_incontdarm [numeric]	Mean (sd) : 4.8 (0.6) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 2 (8.7%) 4 : 1 (4.3%) 5 : 20 (87.0%)	700 (96.8%)
427	t3_user_totalverzorging [numeric]	Mean (sd) : 31.9 (4.4) min < med < max: 20 < 33 < 35 IQR (CV) : 4 (0.1)	20 : 1 (4.3%) 23 : 2 (8.7%) 29 : 2 (8.7%) 31 : 3 (13.0%) 32 : 1 (4.3%) 33 : 3 (13.0%) 35 : 11 (47.8%)	700 (96.8%)
428	t3_user_uiten [numeric]	Mean (sd) : 4.7 (0.7) min < med < max: 3 < 5 < 5 IQR (CV) : 0 (0.1)	3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 19 (82.6%)	700 (96.8%)
429	t3_user_begrijpen [numeric]	Min : 3 Mean : 4.8 Max : 5	3 : 2 (9.1%) 5 : 20 (90.9%)	701 (97.0%)
430	t3_user_waarneming [numeric]	Mean (sd) : 4.7 (0.7) min < med < max: 2 < 5 < 5 IQR (CV) : 0 (0.1)	2 : 1 (4.3%) 4 : 4 (17.4%) 5 : 18 (78.3%)	700 (96.8%)
431	t3_user_orientatie [numeric]	Min : 3 Mean : 4.8 Max : 5	3 : 2 (8.7%) 5 : 21 (91.3%)	700 (96.8%)
432	t3_user_aandacht [numeric]	Mean (sd) : 4.2 (1.1) min < med < max: 2 < 5 < 5 IQR (CV) : 2 (0.3)	2 : 2 (8.7%) 3 : 5 (21.7%) 4 : 2 (8.7%) 5 : 14 (60.9%)	700 (96.8%)
433	t3_user_geheugen [numeric]	Mean (sd) : 3.9 (1.2) min < med < max: 1 < 4 < 5 IQR (CV) : 2 (0.3)	1 : 1 (4.3%) 2 : 1 (4.3%) 3 : 7 (30.4%) 4 : 4 (17.4%) 5 : 10 (43.5%)	700 (96.8%)
434	t3_user_taakuitvoering [numeric]	Mean (sd) : 4.3 (1.3) min < med < max: 1 < 5 < 5 IQR (CV) : 0.5 (0.3)	1 : 2 (8.7%) 3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 17 (73.9%)	700 (96.8%)
435	t3_user_initiatief [numeric]	Mean (sd) : 4.4 (1.2) min < med < max: 1 < 5 < 5 IQR (CV) : 0.5 (0.3)	1 : 1 (4.3%) 2 : 1 (4.3%) 3 : 3 (13.0%) 4 : 1 (4.3%) 5 : 17 (73.9%)	700 (96.8%)
436	t3_user_gedragregulatie [numeric]	Mean (sd) : 4.5 (1.3) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (4.3%) 1 : 1 (4.3%) 3 : 1 (4.3%) 5 : 20 (87.0%)	700 (96.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
437	t3_user_sociaalgedrag [numeric]	Mean (sd) : 4.5 (1.1) min < med < max: 1 < 5 < 5 IQR (CV) : 0 (0.2)	1 : 1 (4.3%) 2 : 1 (4.3%) 3 : 2 (8.7%) 5 : 19 (82.6%)	700 (96.8%)
438	t3_user_cognitfunctioneren [numeric]	Mean (sd) : 45.7 (5.5) min < med < max: 27 < 46.5 < 50 IQR (CV) : 5 (0.1)	27 : 1 (4.5%) 34 : 1 (4.5%) 44 : 3 (13.6%) 45 : 3 (13.6%) 46 : 3 (13.6%) 47 : 3 (13.6%) 49 : 1 (4.5%) 50 : 7 (31.8%)	701 (97.0%)
439	t3_user_pijn [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 20 6. 30 7. 60 8. 80	697 (96.4%) 2 (0.3%) 1 (0.1%) 14 (1.9%) 3 (0.4%) 1 (0.1%) 1 (0.1%) 4 (0.6%)	0 (0.0%)
440	t3_user_vermoeidheid [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 10 6. 20 7. 30 8. 50 9. 60 10. 70 11. 80	697 (96.4%) 2 (0.3%) 1 (0.1%) 6 (0.8%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 5 (0.7%) 1 (0.1%) 6 (0.8%) 1 (0.1%)	0 (0.0%)
441	t3_user_somberheid [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 100 6. 40 7. 50 8. 70 9. 80	697 (96.4%) 2 (0.3%) 1 (0.1%) 16 (2.2%) 1 (0.1%) 1 (0.1%) 2 (0.3%) 2 (0.3%) 1 (0.1%)	0 (0.0%)
442	t3_user_verdriet [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 10 6. 100 7. 20 8. 30 9. 50 10. 60 11. 80	697 (96.4%) 2 (0.3%) 1 (0.1%) 15 (2.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 1 (0.1%) 2 (0.3%) 1 (0.1%) 1 (0.1%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
443	t3_user_angst [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 20 6. 50 7. 80	697 (96.4%) 2 (0.3%) 1 (0.1%) 17 (2.4%) 1 (0.1%) 3 (0.4%) 2 (0.3%)	0 (0.0%)
444	t3_user_boosheid [character]	1. (Empty string) 2. -95 3. -96 4. 0 5. 10 6. 20 7. 50 8. 70	697 (96.4%) 2 (0.3%) 1 (0.1%) 18 (2.5%) 1 (0.1%) 2 (0.3%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
445	t3_user_cognitfunctioneren_1 [numeric]	Mean (sd) : 59.1 (88.1) min < med < max: 0 < 0 < 300 IQR (CV) : 90 (1.5)	12 distinct values	700 (96.8%)
446	t3_FIM_eating [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
447	t3_FIM_grooming [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
448	t3_FIM_bathing [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
449	t3_FIM_dressupperbody [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
450	t3_FIM_dresslowerbody [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
451	t3_FIM_toileting [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
452	t3_FIM_bladder [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
453	t3_FIM_bowel [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
454	t3_FIM_transfer_bedchairwheelchair [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
455	t3_FIM_transfer_bathshower [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
456	t3_FIM_transfer_toilet [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
457	t3_FIM_loco_walkwheelchair [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
458	t3_FIM_loco_mostfrequent [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
459	t3_FIM_loco_stairs [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
460	t3_FIM_comprehension [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
461	t3_FIM_expression [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
462	t3_FIM_socialinteract [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
463	t3_FIM_problemsolving [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
464	t3_FIM_memory [haven_labelled, vctrs_vctr, double]	All NA's		723 (100.0%)
465	t3_QOL [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 2.9 Max : 9	1 : 418 (76.1%) 9 : 131 (23.9%)	174 (24.1%)
466	t3_qol_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 133 (31.8%) 2 : 145 (34.7%) 3 : 96 (23.0%) 4 : 32 (7.7%) 5 : 12 (2.9%)	305 (42.2%)
467	t3_qol_selfcare [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (1) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.5)	1 : 206 (49.3%) 2 : 117 (28.0%) 3 : 73 (17.5%) 4 : 15 (3.6%) 5 : 7 (1.7%)	305 (42.2%)
468	t3_qol_usualactivities [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.4 (1.1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 110 (26.3%) 2 : 135 (32.3%) 3 : 113 (27.0%) 4 : 35 (8.4%) 5 : 25 (6.0%)	305 (42.2%)
469	t3_qol_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (0.9) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.5)	1 : 197 (47.1%) 2 : 133 (31.8%) 3 : 71 (17.0%) 4 : 15 (3.6%) 5 : 2 (0.5%)	305 (42.2%)
470	t3_qol_anxiety [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.5 (0.8) min < med < max: 1 < 1 < 4 IQR (CV) : 1 (0.5)	1 : 263 (62.9%) 2 : 97 (23.2%) 3 : 46 (11.0%) 4 : 12 (2.9%)	305 (42.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
471	t3_qol_scale [character]	1. (Empty string) 2. 70 3. 80 4. 60 5. 50 6. 75 7. 65 8. 90 9. 40 10. 100 [49 others]	316 (43.7%) 55 (7.6%) 51 (7.1%) 47 (6.5%) 31 (4.3%) 29 (4.0%) 24 (3.3%) 21 (2.9%) 17 (2.4%) 10 (1.4%) 122 (16.9%)	0 (0.0%)
472	t3_qol_healthtoday [numeric]	Mean (sd) : 66.6 (18) min < med < max: 0 < 70 < 100 IQR (CV) : 20 (0.3)	56 distinct values	319 (44.1%)
473	t3_ptss [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.9 (2.5) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.9)	1 : 38 (7.0%) 2 : 426 (78.5%) 9 : 79 (14.5%)	180 (24.9%)
474	t4_vitalstatus [haven_labelled, vctrs_vctr, double]	Min : 0 Mean : 0.9 Max : 1	0 : 36 (6.2%) 1 : 542 (93.8%)	145 (20.1%)
475	t4_dateofdeath [Date]	min : 2020-12-02 med : 2021-08-23 max : 2022-10-02 range : 1y 10m 0d	33 distinct values	688 (95.2%)
476	t4_date_questionnaire [Date]	min : 2020-07-24 med : 2021-10-20 max : 2023-03-28 range : 2y 8m 4d	225 distinct values	190 (26.3%)
477	t4_ADL_method [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1 (0.2) min < med < max: 1 < 1 < 3 IQR (CV) : 0 (0.2)	1 : 505 (97.1%) 2 : 14 (2.7%) 3 : 1 (0.2%)	203 (28.1%)
478	t4_barth_bowels [numeric]	Mean (sd) : 1.8 (0.4) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 16 (3.1%) 1 : 45 (8.8%) 2 : 451 (88.1%)	211 (29.2%)
479	t4_barth_bladder [numeric]	Mean (sd) : 1.7 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 33 (6.4%) 1 : 110 (21.5%) 2 : 369 (72.1%)	211 (29.2%)
480	t4_barth_feeding [numeric]	Mean (sd) : 1.9 (0.4) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.2)	0 : 10 (2.0%) 1 : 40 (7.8%) 2 : 461 (90.2%)	212 (29.3%)
481	t4_barth_grooming [numeric]	Min : 0 Mean : 0.8 Max : 1	0 : 79 (15.4%) 1 : 435 (84.6%)	209 (28.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
482	t4_barth_dressing [numeric]	Mean (sd) : 1.7 (0.6) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.4)	0 : 34 (6.6%) 1 : 110 (21.4%) 2 : 371 (72.0%)	208 (28.8%)
483	t4_barth_transfer [numeric]	Mean (sd) : 2.7 (0.7) min < med < max: 0 < 3 < 3 IQR (CV) : 0 (0.3)	0 : 10 (2.0%) 1 : 35 (6.8%) 2 : 79 (15.4%) 3 : 388 (75.8%)	211 (29.2%)
484	t4_barth_toiletuse [numeric]	Mean (sd) : 1.8 (0.5) min < med < max: 0 < 2 < 2 IQR (CV) : 0 (0.3)	0 : 25 (4.9%) 1 : 75 (14.6%) 2 : 413 (80.5%)	210 (29.0%)
485	t4_barth_mobility [numeric]	Mean (sd) : 2.6 (0.8) min < med < max: 0 < 3 < 3 IQR (CV) : 0 (0.3)	0 : 21 (4.1%) 1 : 28 (5.5%) 2 : 77 (15.0%) 3 : 387 (75.4%)	210 (29.0%)
486	t4_barth_stairs [numeric]	Mean (sd) : 1.3 (0.8) min < med < max: 0 < 2 < 2 IQR (CV) : 1 (0.6)	0 : 125 (24.2%) 1 : 119 (23.1%) 2 : 272 (52.7%)	207 (28.6%)
487	t4_barth_bathing [numeric]	Min : 0 Mean : 0.6 Max : 1	0 : 180 (35.0%) 1 : 334 (65.0%)	209 (28.9%)
488	t4_barth_totalscore_def [numeric]	Mean (sd) : 16.9 (4.4) min < med < max: 0 < 19 < 20 IQR (CV) : 4 (0.3)	21 distinct values	214 (29.6%)
489	t4_user_zitten [numeric]	Mean (sd) : 4.5 (1.4) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (7.7%) 4 : 1 (7.7%) 5 : 11 (84.6%)	710 (98.2%)
490	t4_user_staan [numeric]	Mean (sd) : 3.8 (1.5) min < med < max: 1 < 5 < 5 IQR (CV) : 2 (0.4)	1 : 1 (7.7%) 2 : 2 (15.4%) 3 : 3 (23.1%) 5 : 7 (53.8%)	710 (98.2%)
491	t4_user_transfers [numeric]	Mean (sd) : 3.8 (1.6) min < med < max: 0 < 5 < 5 IQR (CV) : 2 (0.4)	0 : 1 (7.7%) 2 : 1 (7.7%) 3 : 4 (30.8%) 5 : 7 (53.8%)	710 (98.2%)
492	t4_user_lopenbinnen [numeric]	Mean (sd) : 3.6 (1.6) min < med < max: 0 < 3 < 5 IQR (CV) : 2 (0.4)	0 : 1 (7.7%) 2 : 1 (7.7%) 3 : 5 (38.5%) 5 : 6 (46.2%)	710 (98.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
493	t4_user_lopenafstand [numeric]	Mean (sd) : 3.2 (1.4) min < med < max: 0 < 3 < 5 IQR (CV) : 1 (0.4)	0 : 1 (7.7%) 2 : 2 (15.4%) 3 : 5 (38.5%) 4 : 2 (15.4%) 5 : 3 (23.1%)	710 (98.2%)
494	t4_user_traplopen [numeric]	Mean (sd) : 3.4 (1.6) min < med < max: 0 < 3 < 5 IQR (CV) : 2 (0.5)	0 : 1 (7.7%) 1 : 1 (7.7%) 3 : 6 (46.2%) 5 : 5 (38.5%)	710 (98.2%)
495	t4_user_rolstoel [numeric]	Min : 0 Mean : 4.6 Max : 5	0 : 1 (8.3%) 5 : 11 (91.7%)	711 (98.3%)
496	t4_user_totalmobiliteit [numeric]	Mean (sd) : 28.7 (3.8) min < med < max: 23 < 28.5 < 35 IQR (CV) : 3.5 (0.1)	23 : 1 (8.3%) 24 : 1 (8.3%) 25 : 1 (8.3%) 27 : 1 (8.3%) 28 : 2 (16.7%) 29 : 1 (8.3%) 30 : 3 (25.0%) 35 : 2 (16.7%)	711 (98.3%)
497	t4_user_etendrinken [numeric]	Min : 1 Mean : 4.4 Max : 5	1 : 2 (15.4%) 5 : 11 (84.6%)	710 (98.2%)
498	t4_user_persverzorging [numeric]	Mean (sd) : 4.1 (1.5) min < med < max: 0 < 5 < 5 IQR (CV) : 2 (0.4)	0 : 1 (7.7%) 3 : 3 (23.1%) 4 : 1 (7.7%) 5 : 8 (61.5%)	710 (98.2%)
499	t4_user_douchenbaden [numeric]	Mean (sd) : 3.8 (1.7) min < med < max: 0 < 5 < 5 IQR (CV) : 2 (0.4)	0 : 1 (7.7%) 1 : 1 (7.7%) 3 : 3 (23.1%) 4 : 1 (7.7%) 5 : 7 (53.8%)	710 (98.2%)
500	t4_user_aanuitkleden [numeric]	Mean (sd) : 4.3 (1.4) min < med < max: 0 < 5 < 5 IQR (CV) : 1 (0.3)	0 : 1 (7.7%) 3 : 1 (7.7%) 4 : 2 (15.4%) 5 : 9 (69.2%)	710 (98.2%)
501	t4_user_toiletgang [numeric]	Min : 4 Mean : 4.9 Max : 5	4 : 1 (8.3%) 5 : 11 (91.7%)	711 (98.3%)
502	t4_user_incontblaas [numeric]	Mean (sd) : 4.4 (1.5) min < med < max: 0 < 5 < 5 IQR (CV) : 0 (0.3)	0 : 1 (8.3%) 3 : 1 (8.3%) 5 : 10 (83.3%)	711 (98.3%)
503	t4_user_incontdarm [numeric]	Min : 0 Mean : 4.6 Max : 5	0 : 1 (8.3%) 5 : 11 (91.7%)	711 (98.3%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
504	t4_user_totalverzorging [numeric]	Mean (sd) : 31.8 (3.7) min < med < max: 25 < 33 < 35 IQR (CV) : 6.2 (0.1)	25 : 1 (8.3%) 27 : 1 (8.3%) 28 : 1 (8.3%) 29 : 1 (8.3%) 31 : 2 (16.7%) 35 : 6 (50.0%)	711 (98.3%)
505	t4_user_uiten [numeric]	Min : 3 Mean : 4.2 Max : 5	3 : 5 (38.5%) 5 : 8 (61.5%)	710 (98.2%)
506	t4_user_begrijpen [numeric]	Min : 3 Mean : 4.5 Max : 5	3 : 3 (23.1%) 5 : 10 (76.9%)	710 (98.2%)
507	t4_user_waarneming [numeric]	Min : 3 Mean : 4.8 Max : 5	3 : 1 (7.7%) 5 : 12 (92.3%)	710 (98.2%)
508	t4_user_orientatie [numeric]	Min : 3 Mean : 4.8 Max : 5	3 : 1 (7.7%) 5 : 12 (92.3%)	710 (98.2%)
509	t4_user_aandacht [numeric]	Min : 3 Mean : 4.5 Max : 5	3 : 3 (23.1%) 5 : 10 (76.9%)	710 (98.2%)
510	t4_user_geheugen [numeric]	Mean (sd) : 4.2 (1.1) min < med < max: 2 < 5 < 5 IQR (CV) : 2 (0.3)	2 : 1 (7.7%) 3 : 3 (23.1%) 4 : 2 (15.4%) 5 : 7 (53.8%)	710 (98.2%)
511	t4_user_taakuitvoering [numeric]	Min : 3 Mean : 4.5 Max : 5	3 : 3 (23.1%) 5 : 10 (76.9%)	710 (98.2%)
512	t4_user_initiatief [numeric]	Min : 3 Mean : 4.5 Max : 5	3 : 3 (25.0%) 5 : 9 (75.0%)	711 (98.3%)
513	t4_user_gedragregulatie [numeric]	Min : 3 Mean : 4.7 Max : 5	3 : 2 (16.7%) 5 : 10 (83.3%)	711 (98.3%)
514	t4_user_sociaalgedrag [numeric]	Min : 3 Mean : 4.5 Max : 5	3 : 3 (25.0%) 5 : 9 (75.0%)	711 (98.3%)
515	t4_user_cognitfunctioneren [numeric]	Mean (sd) : 45.1 (6.8) min < med < max: 32 < 48.5 < 50 IQR (CV) : 7.5 (0.2)	32 : 1 (8.3%) 33 : 1 (8.3%) 38 : 1 (8.3%) 44 : 1 (8.3%) 48 : 2 (16.7%) 49 : 2 (16.7%) 50 : 4 (33.3%)	711 (98.3%)
516	t4_user_pijn [character]	1. (Empty string) 2. -95 3. 0 4. 10 5. 20 6. 50 7. 80	710 (98.2%) 1 (0.1%) 7 (1.0%) 1 (0.1%) 2 (0.3%) 1 (0.1%) 1 (0.1%)	0 (0.0%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
517	t4_user_vermoeidheid [character]	1. (Empty string) 2. -95 3. 0 4. 100 5. 30 6. 50 7. 60 8. 70 9. 90	710 (98.2%) 1 (0.1%) 2 (0.3%) 1 (0.1%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 2 (0.3%) 2 (0.3%)	0 (0.0%)
518	t4_user_somberheid [character]	1. (Empty string) 2. -95 3. 0 4. 20 5. 40 6. 50 7. 90	710 (98.2%) 1 (0.1%) 7 (1.0%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
519	t4_user_verdriet [character]	1. (Empty string) 2. -95 3. 0 4. 10 5. 20 6. 30 7. 40 8. 80	710 (98.2%) 1 (0.1%) 5 (0.7%) 2 (0.3%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
520	t4_user_angst [character]	1. (Empty string) 2. -95 3. 0 4. 10 5. 20 6. 70 7. 90	710 (98.2%) 1 (0.1%) 7 (1.0%) 2 (0.3%) 1 (0.1%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
521	t4_user_boosheid [character]	1. (Empty string) 2. -95 3. 0 4. 10 5. 20 6. 50	710 (98.2%) 1 (0.1%) 7 (1.0%) 3 (0.4%) 1 (0.1%) 1 (0.1%)	0 (0.0%)
522	t4_user_cognitfunctioneren_1 [numeric]	Mean (sd) : 60.8 (84.3) min < med < max: 0 < 20 < 270 IQR (CV) : 112.5 (1.4)	0 : 5 (41.7%) 10 : 1 (8.3%) 30 : 1 (8.3%) 50 : 1 (8.3%) 110 : 1 (8.3%) 120 : 1 (8.3%) 140 : 1 (8.3%) 270 : 1 (8.3%)	711 (98.3%)
523	t4_FIM_eating [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
524	t4_FIM_grooming [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
525	t4_FIM_bathing [haven_labelled, vctrs_vctr, double]	1 distinct value	2 : 1 (100.0%)	722 (99.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
526	t4_FIM_dressupperbody [haven_labelled, vctrs_vctr, double]	1 distinct value	3 : 1 (100.0%)	722 (99.9%)
527	t4_FIM_dresslowerbody [haven_labelled, vctrs_vctr, double]	1 distinct value	3 : 1 (100.0%)	722 (99.9%)
528	t4_FIM_toileting [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
529	t4_FIM_bladder [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
530	t4_FIM_bowel [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
531	t4_FIM_transfer_bedchairwheelchair [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
532	t4_FIM_transfer_bathshower [haven_labelled, vctrs_vctr, double]	1 distinct value	3 : 1 (100.0%)	722 (99.9%)
533	t4_FIM_transfer_toilet [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
534	t4_FIM_loco_walkwheelchair [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
535	t4_FIM_loco_mostfrequent [haven_labelled, vctrs_vctr, double]	1 distinct value	1 : 1 (100.0%)	722 (99.9%)
536	t4_FIM_loco_stairs [haven_labelled, vctrs_vctr, double]	1 distinct value	1 : 1 (100.0%)	722 (99.9%)
537	t4_FIM_comprehension [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
538	t4_FIM_expression [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
539	t4_FIM_socialinteract [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
540	t4_FIM_problemsolving [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
541	t4_FIM_memory [haven_labelled, vctrs_vctr, double]	1 distinct value	7 : 1 (100.0%)	722 (99.9%)
542	t4_QOL [haven_labelled, vctrs_vctr, double]	Min : 1 Mean : 2.7 Max : 9	1 : 424 (79.1%) 9 : 112 (20.9%)	187 (25.9%)
543	t4_qol_mobility [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.1 (1.1) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 148 (35.2%) 2 : 134 (31.9%) 3 : 86 (20.5%) 4 : 37 (8.8%) 5 : 15 (3.6%)	303 (41.9%)
544	t4_qol_selfcare [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (1.1) min < med < max: 1 < 1 < 5 IQR (CV) : 1 (0.6)	1 : 234 (55.7%) 2 : 99 (23.6%) 3 : 55 (13.1%) 4 : 15 (3.6%) 5 : 17 (4.0%)	303 (41.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
545	t4_qol_usualactivities [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.2 (1.2) min < med < max: 1 < 2 < 5 IQR (CV) : 2 (0.5)	1 : 146 (34.8%) 2 : 132 (31.4%) 3 : 83 (19.8%) 4 : 32 (7.6%) 5 : 27 (6.4%)	303 (41.9%)
546	t4_qol_pain [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.8 (1) min < med < max: 1 < 2 < 5 IQR (CV) : 1 (0.5)	1 : 207 (49.1%) 2 : 115 (27.3%) 3 : 71 (16.8%) 4 : 27 (6.4%) 5 : 2 (0.5%)	301 (41.6%)
547	t4_qol_anxiety [haven_labelled, vctrs_vctr, double]	Mean (sd) : 1.5 (0.8) min < med < max: 1 < 1 < 5 IQR (CV) : 1 (0.5)	1 : 267 (63.1%) 2 : 100 (23.6%) 3 : 43 (10.2%) 4 : 11 (2.6%) 5 : 2 (0.5%)	300 (41.5%)
548	t4_qol_scale [character]	1. (Empty string) 2. 70 3. 80 4. 60 5. 50 6. 90 7. 75 8. 85 9. 65 10. 100 [43 others]	308 (42.6%) 67 (9.3%) 66 (9.1%) 35 (4.8%) 33 (4.6%) 29 (4.0%) 26 (3.6%) 21 (2.9%) 20 (2.8%) 12 (1.7%) 106 (14.7%)	0 (0.0%)
549	t4_qol_healthtoday [numeric]	Mean (sd) : 68.2 (18.5) min < med < max: 0 < 70 < 100 IQR (CV) : 20 (0.3)	52 distinct values	309 (42.7%)
550	t4_ptss [haven_labelled, vctrs_vctr, double]	Mean (sd) : 2.7 (2.2) min < med < max: 1 < 2 < 9 IQR (CV) : 0 (0.8)	1 : 36 (6.9%) 2 : 431 (82.3%) 9 : 57 (10.9%)	199 (27.5%)
551	t1_GDS15 [numeric]	Mean (sd) : 5 (2.9) min < med < max: 0 < 4 < 14 IQR (CV) : 4 (0.6)	12 distinct values	674 (93.2%)
552	t1_MOCA [numeric]	Mean (sd) : 23.3 (4.5) min < med < max: 3 < 24 < 29 IQR (CV) : 4 (0.2)	15 distinct values	674 (93.2%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
553	t2_GDS15 [numeric]	Mean (sd) : 3.9 (3.4) min < med < max: 0 < 3 < 15 IQR (CV) : 4 (0.9)	14 distinct values	674 (93.2%)
554	t2_MOCA [numeric]	Mean (sd) : 24.2 (4.4) min < med < max: 3 < 25 < 30 IQR (CV) : 4 (0.2)	15 distinct values	674 (93.2%)
555	t1_FIM_toilet [numeric]	Mean (sd) : 2 (0.4) min < med < max: 1 < 2 < 3 IQR (CV) : 0 (0.2)	1 : 3 (9.4%) 2 : 27 (84.4%) 3 : 2 (6.2%)	691 (95.6%)
556	t1_FIM_dressing [numeric]	Mean (sd) : 4.7 (1.3) min < med < max: 2 < 4.5 < 7 IQR (CV) : 1.2 (0.3)	2 : 1 (3.1%) 3 : 4 (12.5%) 4 : 11 (34.4%) 5 : 8 (25.0%) 6 : 3 (9.4%) 7 : 5 (15.6%)	691 (95.6%)
557	t1_FIM_bath [numeric]	Mean (sd) : 2 (0.7) min < med < max: 1 < 2 < 4 IQR (CV) : 0 (0.3)	1 : 6 (18.8%) 2 : 20 (62.5%) 3 : 5 (15.6%) 4 : 1 (3.1%)	691 (95.6%)
558	t2_FIM_toilet [numeric]	Mean (sd) : 3.9 (1.4) min < med < max: 1 < 4 < 6 IQR (CV) : 2 (0.4)	1 : 1 (3.2%) 2 : 6 (19.4%) 3 : 4 (12.9%) 4 : 9 (29.0%) 5 : 6 (19.4%) 6 : 5 (16.1%)	692 (95.7%)
559	t2_FIM_dressing [numeric]	Mean (sd) : 7.8 (2.6) min < med < max: 4 < 8 < 14 IQR (CV) : 3 (0.3)	4 : 5 (16.1%) 5 : 2 (6.5%) 6 : 2 (6.5%) 7 : 6 (19.4%) 8 : 3 (9.7%) 9 : 6 (19.4%) 10 : 3 (9.7%) 11 : 1 (3.2%) 12 : 2 (6.5%) 14 : 1 (3.2%)	692 (95.7%)
560	t2_FIM_bath [numeric]	Mean (sd) : 3.6 (1.1) min < med < max: 2 < 4 < 6 IQR (CV) : 1 (0.3)	2 : 6 (19.4%) 3 : 8 (25.8%) 4 : 10 (32.3%) 5 : 6 (19.4%) 6 : 1 (3.2%)	692 (95.7%)
561	extra_vitalstatus [numeric]	Min : 0 Mean : 0.9 Max : 1	0 : 3 (14.3%) 1 : 18 (85.7%)	702 (97.1%)
562	extra_dateofdeath [Date]	1. 2020-12-16 2. 2021-07-29 3. 2021-10-22	1 (33.3%) 1 (33.3%) 1 (33.3%)	720 (99.6%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
563	extra_QOL [numeric]	Min : 1 Mean : 2.6 Max : 9	1 : 12 (80.0%) 9 : 3 (20.0%)	708 (97.9%)
564	extra_qol_mobility [numeric]	Mean (sd) : 1.8 (0.9) min < med < max: 1 < 2 < 4 IQR (CV) : 1 (0.5)	1 : 5 (41.7%) 2 : 5 (41.7%) 3 : 1 (8.3%) 4 : 1 (8.3%)	711 (98.3%)
565	extra_qol_selfcare [numeric]	Mean (sd) : 1.4 (0.7) min < med < max: 1 < 1 < 3 IQR (CV) : 1 (0.5)	1 : 8 (66.7%) 2 : 3 (25.0%) 3 : 1 (8.3%)	711 (98.3%)
566	extra_qol_usualactivities [numeric]	Mean (sd) : 1.4 (0.7) min < med < max: 1 < 1 < 3 IQR (CV) : 1 (0.5)	1 : 8 (66.7%) 2 : 3 (25.0%) 3 : 1 (8.3%)	711 (98.3%)
567	extra_qol_pain [numeric]	Mean (sd) : 1.8 (1) min < med < max: 1 < 1.5 < 4 IQR (CV) : 1.2 (0.6)	1 : 6 (50.0%) 2 : 3 (25.0%) 3 : 2 (16.7%) 4 : 1 (8.3%)	711 (98.3%)
568	extra_qol_anxiety [numeric]	Mean (sd) : 1.4 (0.9) min < med < max: 1 < 1 < 4 IQR (CV) : 0.2 (0.6)	1 : 9 (75.0%) 2 : 2 (16.7%) 4 : 1 (8.3%)	711 (98.3%)
569	extra_qol_scale [character]	1. (Empty string) 2. 100 3. 40 4. 65 5. 70 6. 75 7. 90	711 (98.3%) 2 (0.3%) 1 (0.1%) 2 (0.3%) 4 (0.6%) 1 (0.1%) 2 (0.3%)	0 (0.0%)
570	extra_qol_healthtoday [numeric]	Mean (sd) : 75.4 (17.1) min < med < max: 40 < 70 < 100 IQR (CV) : 21.2 (0.2)	40 : 1 (8.3%) 65 : 2 (16.7%) 70 : 4 (33.3%) 75 : 1 (8.3%) 90 : 2 (16.7%) 100 : 2 (16.7%)	711 (98.3%)
571	extra_ptss [numeric]	Min : 2 Mean : 4 Max : 9	2 : 10 (71.4%) 9 : 4 (28.6%)	709 (98.1%)
572	extra_date_questionnaire_1 [Date]	min : 2019-12-17 med : 2021-02-14 max : 2022-06-16 range : 2y 5m 30d	15 distinct values	708 (97.9%)
573	extra_date_questionnaire_2 [Date]	1. 2021-01-10	1 (100.0%)	722 (99.9%)
574	extra_date_questionnaire_3 [Date]	1. 2021-01-16	1 (100.0%)	722 (99.9%)
575	extra_date_questionnaire_4 [Date]	1. 2021-01-30	1 (100.0%)	722 (99.9%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
576	extra_barth_totalscore_def_1 [numeric]	Mean (sd) : 11.6 (5.4) min < med < max: 8 < 8 < 20 IQR (CV) : 6 (0.5)	8 : 3 (60.0%) 14 : 1 (20.0%) 20 : 1 (20.0%)	718 (99.3%)
577	extra_barth_totalscore_def_2 [numeric]	1 distinct value	18 : 1 (100.0%)	722 (99.9%)
578	extra_barth_totalscore_def_3 [numeric]	1 distinct value	16 : 1 (100.0%)	722 (99.9%)
579	extra_barth_totalscore_def_4 [numeric]	1 distinct value	19 : 1 (100.0%)	722 (99.9%)
580	halfway_yearbirth [Date]	min : 1920-07-01 med : 1944-07-01 max : 1978-07-01 range : 58y 0m 0d	53 distinct values	0 (0.0%)
581	age_calculated [numeric]	Mean (sd) : 75.5 (9.9) min < med < max: 42 < 76 < 100 IQR (CV) : 14 (0.1)	53 distinct values	4 (0.6%)
582	height [numeric]	Mean (sd) : 168.6 (10.1) min < med < max: 130 < 168 < 197 IQR (CV) : 14 (0.1)	82 distinct values	51 (7.1%)
583	t0_BMI_calculated [numeric]	Mean (sd) : 28.4 (5.9) min < med < max: 15.7 < 27.5 < 54.5 IQR (CV) : 6.7 (0.2)	530 distinct values	116 (16.0%)
584	t1_BMI_calculated [numeric]	Mean (sd) : 27 (5.6) min < med < max: 14.8 < 26.1 < 47.3 IQR (CV) : 6.8 (0.2)	600 distinct values	68 (9.4%)
585	t2_BMI_calculated [numeric]	Mean (sd) : 27.5 (5.4) min < med < max: 14.6 < 26.5 < 46.1 IQR (CV) : 6.5 (0.2)	542 distinct values	131 (18.1%)
586	EQNL5L_t1 [numeric]	Mean (sd) : 0.6 (0.3) min < med < max: -0.4 < 0.6 < 1 IQR (CV) : 0.5 (0.5)	214 distinct values	149 (20.6%)
587	EQNL5L_t2 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.4 < 0.8 < 1 IQR (CV) : 0.3 (0.3)	155 distinct values	198 (27.4%)
588	EQNL5L_t3 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.3 < 0.8 < 1 IQR (CV) : 0.3 (0.3)	155 distinct values	176 (24.3%)
589	EQNL5L_t4 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.3 < 0.9 < 1 IQR (CV) : 0.3 (0.3)	159 distinct values	172 (23.8%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
590	EQIR5L_t1 [numeric]	Mean (sd) : 0.6 (0.4) min < med < max: -1 < 0.7 < 1 IQR (CV) : 0.7 (0.7)	261 distinct values	11 (1.5%)
591	EQIR5L_t2 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.9 < 1 < 1 IQR (CV) : 0.3 (0.3)	173 distinct values	12 (1.7%)
592	EQIR5L_t3 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.5 < 1 < 1 IQR (CV) : 0.3 (0.3)	172 distinct values	18 (2.5%)
593	EQIR5L_t4 [numeric]	Mean (sd) : 0.8 (0.3) min < med < max: -0.5 < 1 < 1 IQR (CV) : 0.3 (0.3)	169 distinct values	16 (2.2%)
594	EQUK5L_t1 [numeric]	Mean (sd) : 0.7 (0.3) min < med < max: -0.3 < 0.7 < 1 IQR (CV) : 0.6 (0.5)	237 distinct values	48 (6.6%)
595	EQUK5L_t2 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.3 < 0.9 < 1 IQR (CV) : 0.2 (0.2)	159 distinct values	49 (6.8%)
596	EQUK5L_t3 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.1 < 0.9 < 1 IQR (CV) : 0.2 (0.2)	159 distinct values	47 (6.5%)
597	EQUK5L_t4 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.1 < 0.9 < 1 IQR (CV) : 0.2 (0.3)	155 distinct values	44 (6.1%)
598	EQGE5L_t1 [numeric]	Mean (sd) : 0.7 (0.3) min < med < max: -0.7 < 0.8 < 1 IQR (CV) : 0.5 (0.4)	251 distinct values	0 (0.0%)
599	EQGE5L_t2 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.5 < 1 < 1 IQR (CV) : 0.2 (0.2)	166 distinct values	4 (0.6%)
600	EQGE5L_t3 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.1 < 1 < 1 IQR (CV) : 0.2 (0.2)	163 distinct values	2 (0.3%)
601	EQGE5L_t4 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.2 < 1 < 1 IQR (CV) : 0.2 (0.2)	168 distinct values	3 (0.4%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
602	EQIT5L_t1 [numeric]	Mean (sd) : 0.7 (0.4) min < med < max: -0.6 < 0.8 < 1 IQR (CV) : 0.6 (0.6)	255 distinct values	0 (0.0%)
603	EQIT5L_t2 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.6 < 1 < 1 IQR (CV) : 0.2 (0.3)	169 distinct values	1 (0.1%)
604	EQIT5L_t3 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.4 < 1 < 1 IQR (CV) : 0.2 (0.2)	172 distinct values	1 (0.1%)
605	EQIT5L_t4 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.4 < 1 < 1 IQR (CV) : 0.2 (0.3)	169 distinct values	1 (0.1%)
606	EQSP5L_t1 [numeric]	Mean (sd) : 0.7 (0.3) min < med < max: -0.4 < 0.7 < 1 IQR (CV) : 0.6 (0.5)	245 distinct values	11 (1.5%)
607	EQSP5L_t2 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.3 < 1 < 1 IQR (CV) : 0.3 (0.2)	170 distinct values	14 (1.9%)
608	EQSP5L_t3 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.1 < 1 < 1 IQR (CV) : 0.3 (0.2)	168 distinct values	17 (2.4%)
609	EQSP5L_t4 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.1 < 1 < 1 IQR (CV) : 0.3 (0.3)	164 distinct values	20 (2.8%)
610	EQPO5L_t1 [numeric]	Mean (sd) : 0.8 (0.3) min < med < max: -0.6 < 0.9 < 1 IQR (CV) : 0.4 (0.4)	243 distinct values	1 (0.1%)
611	EQPO5L_t2 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.5 < 1 < 1 IQR (CV) : 0.1 (0.2)	170 distinct values	0 (0.0%)
612	EQPO5L_t3 [numeric]	Mean (sd) : 0.9 (0.1) min < med < max: 0.1 < 1 < 1 IQR (CV) : 0.1 (0.2)	157 distinct values	7 (1.0%)
613	EQPO5L_t4 [numeric]	Mean (sd) : 0.9 (0.2) min < med < max: -0.1 < 1 < 1 IQR (CV) : 0.1 (0.2)	152 distinct values	10 (1.4%)

No	Variable	Stats / Values	Freqs (% of Valid)	Missing
614	EQ5D5L_t1 [numeric]	Mean (sd) : 0.5 (0.3) min < med < max: -0.5 < 0.6 < 1 IQR (CV) : 0.5 (0.6)	305 distinct values	252 (34.9%)
615	EQ5D5L_t2 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.4 < 0.8 < 1 IQR (CV) : 0.2 (0.3)	216 distinct values	310 (42.9%)
616	EQ5D5L_t3 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.1 < 0.8 < 1 IQR (CV) : 0.2 (0.3)	222 distinct values	300 (41.5%)
617	EQ5D5L_t4 [numeric]	Mean (sd) : 0.8 (0.2) min < med < max: -0.2 < 0.9 < 1 IQR (CV) : 0.3 (0.3)	219 distinct values	298 (41.2%)
618	FCI [numeric]	Mean (sd) : 3.2 (2.1) min < med < max: 0 < 3 < 18 IQR (CV) : 2 (0.6)	13 distinct values	89 (12.3%)
619	wFCI [numeric]	1 distinct value	6 : 1 (100.0%)	722 (99.9%)
620	t1_QOLVAS_lab [numeric]	Mean (sd) : 50.9 (19.5) min < med < max: 0 < 50 < 95 IQR (CV) : 25 (0.4)	62 distinct values	265 (36.7%)
621	BH1 [numeric]	Mean (sd) : 10.9 (5.4) min < med < max: 0 < 11 < 20 IQR (CV) : 8 (0.5)	21 distinct values	9 (1.2%)